Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

CALVIN C. REED, LIEUTENANT, U. S. N.

Attached to { _____ Division,
_____ Squadron,
_____ Flotilla,
U. S. PACIFIC Fleet,
_____ Naval District,

Commencing 0001 1 DECEMBER, 1962,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending 2400 31 DECEMBER, 1962,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

DECK LOG BOOK

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ , 19____
(Day) (Date) (Month)

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 1 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	345	5	6	SCT	29.99	74	70	3	1400	CU			
02	345	5	6	SCT	29.99	73	70	3	1050	CU			
03	345	5	6	SCT	29.99	74	70	3	1400	CU			
04	345	5	6	SCT	29.99	74	70	4	1400	CU			
05	345	5	6	SCT	30.00	74	70	4	1400	CU			
06	345	6	6	SCT	30.00	76	71	4	1750	CU			
07	345	6	7	SCT	29.98	76	71	5	1750	CU			
08	355	5	7	SCT	29.96	78	72	5	2100	CU			
09	005	9	7	SCT	29.95	79	78	4	2450	CU			
10	025	7	7	SCT	29.93	81	73	4	2800	CU			
11	060	7	7	SCT	29.91	81	73	5	2800	CU			
12	060	7	7	BKN	29.93	81	73	6	2800	CU			
13	060	9	7	BKN	29.95	81	74	6	2450	CU			
14	060	8	7	BKN	29.95	80	73	7	2450	CU			
15	065	8	7	BKN	29.96	80	73	7	2450	CU			
16	065	10	7	BKN	29.96	81	73	8	2800	CU			
17	065	7	7	BKN	29.97	81	72	8	3150	CU			
18	060	5	7	BKN	29.98	80	72	8	2800	CU			
19	060	5	6	BKN	29.98	80	72	7	2800	CU			
20	060	3	6	BKN	29.98	78	72	6	2100	CU			
21	060	4	6	BKN	29.98	77	72	6	1750	CU			
22	060	3	6	SCT	29.97	76	72	5	1400	CU			
23	060	3	6	SCT	29.97	74	71	4	1050	CU			
24	060	3	6	SCT	29.96	74	71	4	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 270

REMARKS

00-04: MOORED PORT SIDE TO BERTH A-5, U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

W. [illegible], ENS, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W. [illegible], ENS, USNR

APPROVED: C. [illegible] Lt U.S.N. COMMANDING

EXAMINED: [illegible] LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 1 (Date) Dec (Month), 1962

08-12 moored as before: 0906 made daily inspection of magazines and smokeless powder samples, Conditions normal.

J.L. Hollis CWO-2-USN

12-16 moored as before;

J.L. Hollis. CWO-2. USN

16-20 moored as before: 1800 Set Material Cond. two Yoke throughout the ship

J.L. Hollis. CWO-2. USN

20-24 moored as before:

J.L Hollis, CWO.2, USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: A L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Sunday (Day) 2 (Date) December (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	5	6	SCT	29.96	75	71	4	1400	CU			
02	060	5	6	SCT	29.97	75	72	4	1050	CU			
03	060	5	6	RW	29.97	74	71	10	1050	CU/ST			
04	060	3	6	BKN	29.98	74	71	6	1050	CU			
05	060	3	6	BKN	29.98	74	71	6	1050	CU			
06	060	4	6	BKN	29.97	76	72	6	1400	CU			
07	060	4	7	BKN	29.97	77	72	7	1750	CU			
08	060	7	7	BKN	29.96	79	74	8	1750	CU			
09	070	9	7	BKN	29.95	80	76	9	1400	CU			
10	070	5	7	BKN	29.94	80	76	9	1400	CU			
11	060	5	7	BKN	29.93	80	76	9	1400	CU			
12	055	3	7	BKN	29.93	82	74	7	2800	CU			
13	055	3	7	BKN	29.93	82	74	7	2800	CU			
14	050	4	7	BKN	29.93	81	74	8	2450	CU			
15	050	3	7	BKN	29.94	81	73	8	2800	CU			
16	055	4	7	BKN	29.94	80	73	8	2450	CU			
17	055	5	7	BKN	29.94	80	73	7	2450	CU			
18	055	4	7	SCT	29.94	80	73	5	2450	CU			
19	055	4	6	SCT	29.94	80	75	5	1750	CU			
20	055	4	6	SCT	29.96	78	75	4	1050	CU			
21	055	4	6	SCT	29.98	78	74	4	1400	CU			
22	055	4	6	SCT	29.98	77	74	5	1050	CU			
23	055	3	6	SCT	29.99	76	73	4	1050	CU			
24	055	3	6	SCT	29.99	75	73	4	1050	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 150

REMARKS

00-04 moored portside to Alfa nine (9) docks, U.S. Naval Station, Pearl Harbor, Hawaii, using four (4) Standard mooring lines doubled up. Receiving ~~fuel~~ fresh water and telephone service from the pier. Condition yoke set throughout the ship. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. S.O.P.A. is Com ASW for Pac.

J.D. Hollis, CWO-2, USN

04-08 moored as before; 0730 mustered the crew on stations; Unauthorized absentees: none;

J.D. Hollis, CWO-2 - USN

APPROVED: C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 2 (Date) December (Month), 1962

08-12 Moored as before. 1000 Made daily inspection of magazines and smokeless powder samples; Conditions normal.

R. L. Walker
LtJG USN

12-16 Moored as before.

R. L. Walker
LtJG USN

16-20 Moored as before 1800 Set Material Condition Yoke throughout the ship.

R. L. Walker
LtJG USN

20-24 Moored as before.

R. L. Walker
LtJG USN

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Monday (Day) 3 (Date) December (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	055	3	6	SCT	29.99	74	71	4	1050	CU			
02	055	3	6	SCT	29.98	73	70	5	1050	CU			
03	050	2	6	SCT	29.97	71	68	5	1050	CU			
04	050	3	6	BKN	29.97	68	65	7	1050	CU			
05	050	3	6	BKN	29.96	67	64	7	1050	CU			
06	050	2	6	SCT	29.96	67	64	4	1050	CU			
07	050	2	7	SCT	29.97	67	64	3	1050	CU			
08	090	2	7	SCT	29.99	70	65	3	1750	CU			
09	095	2	7	SCT	29.99	74	69	3	1750	CU	83	080	1
10	095	2	7	SCT	30.00	80	71	3	3150	CU	83	080	1
11	085	3	7	SCT	30.00	79	72	4	2450	CU	83	080	2
12	130	10	7	SCT	29.96	80	73	4	2450	CU	83	095	2
13	130	13	7	SCT	29.95	79	73	3	2100	CU	83	090	2
14	125	12	7	SCT	29.95	81	73	4	2800	CU	83	090	2
15	130	12	7	SCT	29.94	81	73	5	2800	CU			
16	135	9	7	SCT	29.94	82	73	5	3150	CU			
17	130	9	7	BKN	29.96	80	73	6	2450	CU			
18	095	5	7	BKN	29.97	79	73	6	2100	CU			
19	070	5	6	BKN	29.98	78	72	8	2100	CU			
20	055	4	6	BKN	29.99	77	72	6	1750	CU			
21	055	2	6	BKN	29.99	76	72	6	1400	CU			
22	055	2	6	SCT	29.98	75	71	5	1400	CU			
23	055	3	6	SCT	29.97	74	71	5	1050	CU			
24	055	2	6	SCT	29.97	74	71	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Hole

FUEL CONSUMED 0000-2400: 693

REMARKS

00-04 Moored port side to berth A-5 at the U. S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke is set. Receiving spark gate and telephone service from the pier. Ships present include units of the U. S. Pacific Fleet and various yard and district craft. SOPA is Com ASW for Gru.

R. L. Walker
LTJG USN

04-08 Moored as before. 0745 Mustered at quarters: absentees: none.

R. L. Walker
LTJG USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 MONDAY (Day) 3 (Date) DECEMBER (Month), 19 62

Ø8-12 MOORED AS BEFORE. Ø813 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. Mr. Horton, USN has the Conn. Ø837 UNDERWAY FROM BERTH ALPHA FIVE TO LOCAL OP AREA IN ACCORDANCE WITH FLT TRA GRP OPORD 49-62. Ø836 CLEARED BERTH ALPHA FIVE. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. Ø847 PASSED BOUY ONE ABEAM TO STBD. APROX 200 FT. Ø848 C/C TO 160° Ø849 C/C TO 170° Ø851 C/C TO 160° Ø852 EXERCISED CREW AT GENERAL QUARTERS. Ø900 C/S TO 6.7 KNOTS. Ø916 C/C TO Ø55° Ø920 C/C TO 150° Ø925 SECURED FROM GENERAL QUARTERS. 0929 C/S all stop - in position to commence Exercise Z-6-S with USS CONSERVER (ARS-39) 0954 tow wire from (ARS-39) connected up. 0956 in tow. 1027 broke tow and paid out wire to Conserver. 1029 C/S 13 1/3. 1031 C/S all stop. began steering various courses & speeds to take ARS-39 in tow. 1046 Tow pennat aboard ARS-39. 1047 tow connected. 1052 Tow cast off by ARS-39. 1056 secured from exercise Z-6-S. 1057 C/S 12.3 Kts. C/C 090°. 1058 C/S 9.5 Kts. C/C 180°. 1059 C/S 6.7 Kts. 1102 C/C 270°. C/S 3.3 Kts. 1135 C/C 030°.

J. L. Wallis. CWO.2 USN

12-16 UNDERWAY AS BEFORE 1200 C/S 9.5 KTS C/C 080° 1206 COMMENCED EXERCISE Z 10 CC WITH USS GRASP (ARS 24) C/S 10 KTS C/C 000° 1215 C/S 4 KTS C/C 050° 1224 C/C 010° 1238 C/S 11 KTS. C/C 180° 1242 C/S 4 KTS. C/C 150° 1251 C/S 10 KTS C/C 175° 1259 C/C 080° C/S 5 KTS 1307 C/S 8 KTS C/C 055° 1315 C/S 12.3 KTS C/C 312° COMPLETED Z-10-CC WITH USS GRASP (ARS 24) C/S 13.3 KTS. 1317 C/C 330° 1320 C/C 000° 1325 C/C 100° C/S 10 KTS. 1334 COMMENCED EXERCISE Z-26-S WITH USS CONSERVER (ARS 39) 1355 COMPLETED EXERCISE Z-26-S WITH USS CONSERVER (ARS 39) 1357 R/FULL R. C/S A/FLANK 1358 4/HORUD. 310° 1400 C/S 9.5 KTS. 1402 C/C 295° C/S 12.3 KTS. 1407 C/C 300° 1408 C/C 290° 1410 C/C 286° 1412 C/C 292° 1415 C/S 13.3 KTS. C/C 296° 1417 C/C 295° 1418 C/S 12.3 KTS. C/C 297° 1432 SET SPECIAL SEA AND ANCHOR DETAIL A 1433 MANUVERING ON VARIOUS COURSES AND VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL 1453 MANUVERING ON VARIOUS COURSES AND VARIOUS SPEEDS APPROACHING PIER ALPHA FIVE 1459 MOORED PORT SIDE TO BERTH ALPHA FIVE PEARL HARBOR, HAWAII 1510 SECURED SPECIAL SEA AND ANCHOR DETAIC

CWO Hollis has the conn. Passed buoy #1 abeam to Port, distance 150 ft. N/M

F. M. DeLorme BM1

16-20 MOORED AS BEFORE. 1800 SET MODIFIED CONDITION YOKE THRU OUT THE SHIP

J. E. Horton Ens USN

20-24 MOORED AS BEFORE

J. E. Horton Ens USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: J. L. Wallis CWO2 USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ONAKI ATF-96 ZONE DESCRIPTION T10 DATE TUESDAY (Day) 4 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	2	6	SCT	29.97	74	71	3	1050	CU			
02	050	3	6	SCT	29.97	73	70	3	1050	CU			
03	050	3	6	SCT	29.96	73	70	2	1050	CU			
04	050	4	6	SCT	29.96	72	69	2	1050	CU			
05	050	5	6	SCT	29.95	71	68	2	1050	CU	81	055	1
06	050	5	6	SCT	29.97	70	67	3	1050	SC	81	055	1
07	045	8	7	SCT	29.98	73	69	2	1400	SC	81	055	1
08	045	6	7	SCT	29.99	78	71	1	24450	SC	81	065	1
09	040	5	7	SCT	29.99	79	72	2	24450	CU	81	065	1
10	060	6	7	SCT	29.98	81	73	2	22800	CU	81	070	1
11	065	8	7	SCT	29.97	79	73	2	22100	CU	81	070	2
12	065	8	7	SCT	29.95	80	72	2	22800	CU	82	075	2
13	065	8	7	SCT	29.94	81	74	3	24450	CU	82	080	2
14	090	7	7	SCT	29.93	84	74	3	35000	CC	82	080	2
15	110	7	7	SCT	29.92	84	74	3	35000	CC	82	075	2
16	115	6	7	SCT	29.92	86	75	2	35550	CI	82	075	2
17	070	8	7	SCT	29.94	81	74	2	24450	CC	82	075	2
18	100	10	7	SCT	29.96	78	72	2	22100	CU	82	065	2
19	100	10	6	SCT	29.97	77	72	2	1750	CU	82	065	2
20	110	7	6	SCT	29.98	76	72	3	1400	SC			
21	115	12	6	SCT	29.99	76	72	2	1400	SC			
22	120	11	6	SCT	30.00	75	72	3	1050	SC			
23	105	9	6	SCT	30.00	74	71	3	1050	SC			
24	095	9	6	SCT	30.01	73	70	2	1050	CU			

POSITION	ZONE	TIME
0000		
L 33-56.8N	BY	3
λ 157-48.1W	BY	3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 169

FUEL CONSUMED 0000-2400: 809

REMARKS

0000-0404 MOORED PORT SIDE TO IN BERTH ALPHA FIVE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. MODIFIED CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFOR PAC.

F E Norton
Ens USN

0430 Mustered crew on Stations, Absentees: none.
0404-08 MOORED AS BEFORE A 0445 SET SPECIAL SEA AND ANCHOR
CWO Hill is pas cmd.
DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE A 0500 UNDER
WAY IAW OPS ORD 49-62 FROM BERTH ALPHA FIVE WITH
SERIES 40 SLED 550 IN TOW MANAVERING AT VARIOUS
SPEEDS ON VARIOUS COURSES TO CLEAR BERTH 0506 MANAVERING
AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL
Passed Buoy #1 abeam to ~~Port~~ Starboard, distance 150ft.
HARBOR CHANNEL 0534, SECURED SPECIAL SEA AND ANCHOR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: G L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) TUESDAY (Day) 4 (Date) DECEMBER (Month) 19 62

DETAIL SET UNDERWAY WATCH 0536 C/S 10 KTS. (400 RPM)
0538 C/C 125° 0540 C/S 11 KTS. ~~(HORN)~~ Entered International Water 0658 C/C 180°

FM Johnson

08-12 Underway as before: 0824 C/S 9.5 Kts. 0833 Made daily inspections of magazines + Smokless Powder Samples, Conditions Normal. 0855 C/C 145°. 0905 C/S 6.7 Kts. 0940 C/S 9.5 Kts. 0941 C/S 11.5 Kts. 0948 Commenced exercise Z-21-G. With USCG BERING STRAIT (CWAVP-382) B/C 145°, B/S 9.0 Kts. Target at 3500 ft. 1035 Completed exercise Z-21-G + Released. 1105 Commenced exercise Z-21-G with USCG MATAGORDA (CWVAP-373). B/C 145°, B/S 9.0 Kts.

J. L. Wallis, CWO-2, USN

12-16: UNDERWAY AS BEFORE. 1215 COMPLETED EXERCISE Z-21-G, USCGS MATAGORDA (WAVP-373) OCE. ABNAKI RELEASED TO PROCEED ON DUTY ASSIGNED. 1228 C/C 340°. 1235 C/S 13.3 KTS. 1307 C/C 315°. 1319 C/C 000°. 1321 C/S 9.5 KTS. 1325 C/S 6.7 KTS. 1330 COMMENCED SCHEDULED EXERCISE Z-24-G, USS JENKINS (DDE-447) OCE ON BASE COURSE ~~000°~~ 014S°, BASE SPEED 6.7 KTS. 1358 COMPLETED EXERCISE Z-24-G. 1359 C/C 315° 1406 C/S 12.3 KTS C/C 325° 1417 C/C 305° 1418 COMMENCED EXERCISE Z-25-G, USS JENKINS (DDE-447) OCE ON BASE COURSE 305° BASE SPEED 12.3 KTS. 1423 COMPLETED EXERCISE Z-25-G. 1424 C/C 315° C/S 9.5 KTS. 1446 COMMENCED EXERCISE Z-21-G, USS JENKINS (DDE-447) OCE ON BASE COURSE 315°, BASE SPEED 9.5 KTS. 1508 COMPLETED EXERCISE Z-21-G. 1509 C/C 135° 1530 COMMENCED EXERCISE Z-21-G, USS JENKINS (DDE-447) OCE. 1547 COMPLETED EXERCISE Z-21-G. ABNAKI RELEASED TO PROCEED ON DUTY ASSIGNED. 1551 C/C 318° 1553 COMMENCED HEAVING, TARGET IN TO 600 FEET. C/S 10.8 KTS. 1555 C/S 11.8 KTS. 1556 C/S 12.3 KTS.

W. L. Swan, ENS, USNR

16-20 Underway As Before. 1604 C/S To 9.5 Knts. 1610 C/S To 11.3 Knots. 1611 C/S To 13.3 Knots. 1805 C/C To 332° 1701 C/C To 338° 1923 C/C To 341° 1929 C/C To 345° 1934 Set Special Sea Detail ~~Entered Inland Waty~~ 1936 C/C To 342° Capt and Navigator on the Bridge 1938 Heaved Tow In To 300 Ft. 1939 C/C 330° C/S To 10 Knots 1947 Passed Bouy 2 Abeam To Stbd. Aprox 100 Ft. Maneuvering On Various Courses And Speeds To Conform With Pearl Harbor Channel. 1949 Heaved Tow In To 150 Ft. 1952 Passed Bouy 4 Abeam To Stbd Aprox 150 Ft. 1959 Heaved Tow Up To Stern.

J. E. Horton Ens USN

20-24: UNDERWAY AS BEFORE. 2000 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH BERTH A-5. 2006 MOORED PORT SIDE TO BERTH A-5, U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. 2010 SECURED SPECIAL SEA AND ANCHOR DETAIL.

W. L. Swan, ENS, USNR

APPROVED: C. C. Read Lt U.S.N. COMMANDING

EXAMINED: G. L. Walker Lt USN U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 5 (Date) DECEMBER (Month) 1962

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	085	8	6	SCT	30.01	73	70	2	1050	CU			
02	080	8	6	SCT	30.02	73	70	2	1050	CU			
03	080	7	6	SCT	30.01	72	69	3	1050	CU			
04	075	5	6	SCT	30.00	72	69	2	1050	CU			
05	075	7	6	SCT	29.99	71	68	3	1050	CU			
06	070	6	6	SCT	29.98	71	68	3	1050	CU			
07	060	5	7	SCT	29.97	71	68	4	1050	CU	81	090	2
08	040	6	7	SCT	29.97	74	70	4	1400	CU	81	090	2
09	090	7	7	BKN	29.99	76	70	6	2100	CU	81	100	2
10	120	5	7	BKN	29.99	77	71	6	2100	CU	81	110	2
11	110	4	7	BKN	29.98	78	71	6	2450	CU	82	110	2
12	150	11	7	SCT	29.94	78	72	3	2100	CU	82	110	2
13	140	9	7	SCT	29.92	86	73	3	4550	CI	82	110	2
14	150	6	7	SCT	29.91	89	75	2	4900	CI	82	110	2
15	150	6	7	SCT	29.91	91	75	2	5600	CI	82	110	2
16	150	6	7	SCT	29.90	87	75	3	4200	CI	82	115	2
17	150	5	7	SCT	29.90	84	75	5	3150	CC	82	115	2
18	180	5	7	BKN	29.90	82	74	7	2800	CU	81	115	2
19	170	4	6	BKN	29.91	77	70	8	2450	CU	81	115	2
20	160	3	6	BKN	29.93	73	70	10	1050	CU	81	120	2
21	0	0	6	BKN	29.95	73	70	8	1050	CU	81	120	2
22	120	2	6	BKN	29.94	74	71	8	1050	CU	81	120	1
23	120	3	6	BKN	29.94	74	71	6	1050	CU	81	120	1
24	120	7	6	SCT	29.92	74	69	2	1750	CU	81	120	1

POSITION	ZONE	TIME
0800		
L 21-17 N	BY	D.R.
λ 157-48 W	BY	43
1200		
L 20-41 N	BY	3
λ 157-35 W	BY	3
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 154.9

FUEL CONSUMED 0000-2400: 1284

REMARKS

00-04: MOORED PORT SIDE TO BERTH A-5, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING, FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

W. R. SWAN, ENS, USNR.

04-08: MOORED AS BEFORE. 0600 ~~EE~~ MUSTERED CREW ON STATIONS; ABSENTEES NONE. 0605 SET SPECIAL SEA AND ANCHOR DETAIL. 0617 UNDER WAY IN ACCORDANCE WITH COMFLETRAGRU PEARL WEEKLY OPORD 49-62 WITH 5-40 TARGET SLED IN TOW. CAPTAIN AND NAVIGATOR ON THE BRIDGE. DRAFT FORWARD 13'6", AFT 16'6". COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM TO PEARL HARBOR, ~~HONOLULU~~ CHANNEL. 0623 COMMENCED STREAMING TARGET. 0640 TARGET STREAMED TO 600 FT. PASSED BOUY #1 ABEAM TO STARBOARD; DISTANCE 200 FT. C/S 11.3 KTS. 0642 SECURED SPECIAL SEA AND ANCHOR DETAIL. C/S 12.3 KTS. C/C 126°. 0643 C/S 13.3 KTS. 0738 C/C 180°. 0745 TESTED

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 5 (Date) December (Month), 1962

0H-08 (CONTINUED) SHIPS WHISTLE, SIREN, GENERAL, CHEMICAL AND STEERING EMERGENCY ALARMS; TEST SATISFACTORY.

A. L. Swan, ENS USNR.

08-12 Underway as before: 0854 made daily inspection of magazines and smokeless powder samples. Conditions normal. 0930 c/c 150°. 0933 c/s 8 Kts. 0950 Streamed target sled to 2500 ft. 1014 Commenced exercise 2-21-G with USS Hitchiti (ATF-103). 1034 secured from 2-21-G and commenced 2-27-G. 1041 c/s 12.3 Kts. 1042 c/s 9.5 Kts. 1054 c/s 3.3 Kts. 1110 c/s 6.7 Kts. 1113 c/s 9.5 Kts. 1116 Secured from exercise 2-27-G with USS Hitchiti (ATF-103). 1120 c/c 120°. 1127 c/c ~~127°~~ 105°. 1129 c/s 12.3 Kts. 1130 c/c 090°. 1159 c/c 078°.

J. L. Hollis, CWO-2, USN

12-16 Underway as before: 1227 c/c 300°. 1236 c/s 9.5 Kts. 1239 c/s 6.7 Kts. 1240 c/s 3.3 Kts. 1250 c/s 6.7 Kts. 1254 c/s ~~9.5~~ 9.5 Kts. 1255 Commenced exercise 2-21-G with USS Frontier (AD-25) 1336 completed exercise 2-21-G. 1338 released from service by USS Frontier (AD-25) 1402 target sled heaved into 600 ft. c/s 12.3 Kts. 1405 c/s 13.3 Kts. 1409 exercised crew at General Quarters drills. 1415 c/c 270°. 1419 c/c 290°. 1420 c/c 320°. 1458 Secured from G.Q. drill. 1515 c/c 000°. 1541 c/c 327°. 1543 c/c 330°. 1552 c/c 325°. ~~1554 Retrieved of Comm. and~~ ~~Hook by Tow-Lowell.~~

J. L. Hollis, CWO-2, USN

16-20: UNDERWAY AS BEFORE. 1630 C/C 328°, 1658 C/C 333°. 1702 C/S 9.5 KTS. 1703 C/S 6.7 KTS. 1707 C/C 260°. HEAVED TARGET IN TO 300 FT. 1709 HEAVED TARGET IN TO 150 FT. C/S ~~3.3~~ 5.0 KTS 1728 LOWERED #1 MOTOR WHALEBOAT. 1730 C/C 230°. 1745 C/C 145°. 1756 C/C 100°. 1830 C/C 295° C/S 3.3 KTS. 1832 C/C 325°. 1845 HOISTED #1 MOTOR WHALEBOAT. 1847 C/C 100°. C/S 6.7 KTS. 1855 C/C 104°. 1909 SET THE ANCHOR DETAIL. 1918 C/C 077° - APPROACHING ANCHORAGE #11, SOUTH HONOLULU. ENS SWAN HAS THE CONN; CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1920 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH ANCHORAGE. 1923 SNUBBED TARGET TO STERN. 1945 ANCHORED IN 10 FATHOMS OF WATER IN ANCHORAGE #11, SOUTH HONOLULU, HAWAII WITH 45 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR. SAND AND SHELL BOTTOM. ANCHOR BEARINGS: ALOHA TOWER 335½°, CUPOLA 074°, LAFONDE 015°. 1955 SECURED THE ANCHOR DETAIL. A. L. Swan, ENS. USNR.

20-24 ANCHORED AS BEFORE. 2017 HEAVED ANCHOR IN TO SHORT STAY 2027 ANCHORS AWEIGH. A/A ⅓ - 3.3 KNOTS ON COURSE 250° 2037 C/S TO 6.7 KNOTS. 2042 C/S TO 3.3 KNTS C/C TO 210° 2224 C/C TO 200°

J. E. Horton
Ens USN.

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: A. L. Waller LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 6 (Date) DECEMBER (Month), 19 62

~~AT~~/PASSAGE FROM BERTH ALPHA FIVE TO LOCAL OP AREA G1

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	130	7	6	SCT	29.92	75	69	2	2100	CU	81	130	1
02	170	7	6	SCT	29.92	75	69	2	2100	CU	81	130	1
03	220	6	6	SCT	29.89	74	69	2	1750	CU	81	130	1
04	220	6	6	SCT	29.88	74	70	2	1400	CU	81	125	1
05	220	6	6	SCT	29.88	75	71	2	1400	CU	80	125	1
06	210	7	6	SCT	29.90	74	71	4	1050	CU	80	125	1
07	210	8	7	BKN	29.90	74	71	6	1050	CU	80	125	2
08	200	9	7	OVC	29.90	73	69	9	1400	CU	81	130	2
09	180	8	7	BKN	29.92	77	71	6	2100	CU	81	130	2
10	195	8	7	SCT	29.92	80	74	4	2100	CU	81	130	2
11	060	7	7	SCT	29.88	81	74	4	2450	CU	81	050	2
12	230	10	7	SCT	29.88	80	73	4	2800	CU	81	050	2
13	245	10	7	SCT	29.85	78	72	4	2100	CU	81	230	1
14	260	12	7	SCT	29.81	80	72	3	2800	CU	81	230	1
15	280	16	7	SCT	29.83	82	74	4	2800	CU	82	240	1
16	290	13	7	SCT	29.84	81	73	3	2800	CU	~~82~~		
17	300	9	7	SCT	29.83	81	73	3	2800	CU			
18	310	9	7	SCT	29.83	80	73	3	2450	CU			
19	290	7	6	SCT	29.84	80	72	4	2800	CU			
20	330	8	6	SCT	29.86	78	72	4	2100	CU			
21	340	5	6	SCT	29.83	76	72	4	1400	CU			
22	355	4	6	SCT	29.84	75	71	3	1400	CU			
23	015	3	6	SCT	29.84	75	70	3	1750	CU			
24	035	4	6	SCT	29.85	75	70	4	1750	CU			

POSITION	ZONE	TIME
0800		
L 30-58 N	BY	#3
λ 157-45.5 W	BY	#3
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 111.6

FUEL CONSUMED 0000-2400: 1270

REMARKS

00-04 STEAMING INDEPENDENTLY IN B.P. OP AREA WITH SERIES 40 SLED 749 IN TOW IAW OP-ORD 49-62 BASE COURSE 210° BASE SPEED 3 KTS ~~75 RPM~~ MATERIAL CONDITION YOKE READINESS CONDITION III ENG. CONDITION III DAMAGE CONTROL CONDITION IV 0240 C/C 132° 0343 C/S 5 KTS. ~~65 RPM~~

JA DeJonne BM1

04-08 Underway as before; 0421 C/S 3.3 Kts. 0554 C/C 173°. 0600 C/C 180°. 0609 C/C 190°. 0617 C/S 6.7 Kts. 0624 C/C 200°, C/S 9.5 Kts. 0628 C/C 170°. ~~0655~~ ~~Sunrise turned off steaming lights.~~ 0715 Target sled streamed to 3,500 ft. 0723 C/C 115°. ~~0730 Debrief of the Medical personnel~~ ~~Exc. Survey~~ 0736 Commenced exercise 2-21-G with USS Frontier (AD-25) 0745 tested Ship's General & chemical alarms and whistle & Siren, test Satisfactory. 0758 C/C 295°. C/S 11.5 Kts.

J.L. Hollis, CWO 2, USN

APPROVED: C.C. Read LT. U.S.N. COMMANDING

EXAMINED: C.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 6 (Date) December (Month), 1962

08-12; UNDERWAY AS BEFORE. Ø8ØØ MUSTERED CREW ON STATIONS; ABSENTEES NONE. Ø8Ø8 C/C 295°. Ø81Ø C/S 9.5 KTS. Ø82Ø COMPLETED EXERCISE Z-21-G, USS FRONTIER (AD-25) OCE. ABNAKI RELEASED TO PROCEED ON DUTY ASSIGNED. Ø822 C/S 11.8 KTS. Ø832 C/C ØØØ°. Ø837 C/S 9.5 KTS. Ø843 TARGET HEAVED IN TO 6ØØ FT. C/S 13.5 KTS. Ø854 C/C 355°. 1Ø33 C/C 3Ø5°. 1Ø45 C/C 298°. 1110 C/C 333°. 1112 C/S 9.5 KTS. 1113 C/S 6.7 KTS. 1121 TARGET HEAVED IN TO 15Ø FT. 1122 C/S 3.3 KTS. 1125 ENTERED INLAND WATERS. 1137 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1146 C/C 24Ø°. 1154 C/C 21Ø° C/S 1.7 KTS. 1155 TUG NS-15 CAME ALONGSIDE TARGET.

H. Lawson, ENS, USNR.

12-16 Underway As Before. 12Ø3 Transfered Target Sled To NS-15. 12Ø4 C/S To 3.3 Knots C/C To 146° 12Ø7 C/C To 16Ø° 121Ø C/S To 6.7 Knots. 1218 Commenced OOD Training Maneuvering on Various Courses And Speeds. 1258 Secured From OOD Training On Course 19Ø° Speed 13 Knts. 13ØØ Commenced Exercise Z-1Ø-CC With USS Frontier (AD-25) Maneuvering On Various Courses And Speeds To Conduct Exercise. 1427 Secured From Z-1Ø-CC On Course 285° Speed 13.3 Knots. 1446 C/C To 34Ø° 1447 Set Special Sea And Anchor Detail. 1448 C/C To 335° 145Ø C/S To 12.3 Knts. 1453 C/C To 333° 1458 Passed Bouy 2 Abeam To Stbd Approx. 150 Ft 1459 C/S To 10 Knots. 15Ø2 Passed Bouy 4 Abeam To Stbd Approx. 100 Ft. Commenced Maneuvering On Various Courses + Speeds To Conform With Pearl Harbor Channel. 151Ø Commenced Maneuvering On Various Courses + Speeds To Moor Port Side To Berth Alpha Five. 1516 Moored Port Side To Berth Alpha Five. US Naval Station, Pearl Harbor, Hawaii With Standard Mooring Lines Doubled. 1527 Secured Special Sea Detail

McHORTON HAS CONN, CAPT AND NAVIGATOR ON THE BRIDGE

S E Hartman
Ens USN

16-20 Moored as before. Ø748 Mustered the Duty fire party and held lecture. 18ØØ Set Material Condition Yoke throughout the ship.

R L Walker
LTJG USN

20-24 Moored as before.

R L Walker
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H10 DATE Friday (Day) 7 (Date) December (Month), 19 62

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	035	3	6	SCT	29.84	74	68	4	1750	CU			
02	035	3	6	SCT	29.84	74	68	4	2100	CU			
03	035	2	6	SCT	29.83	72	69	3	1050	CU			
04	030	2	6	SCT	29.83	70	69	2	350	SC			
05	030	2	6	SCT	29.83	70	69	2	350	SC			
06	035	2	6	SCT	29.84	71	68	2	1050	SC			
07	035	2	7	SCT	29.84	71	68	2	1050	CU			
08	040	3	7	SCT	29.84	74	71	3	1050	CU	80	080	1
09	040	6	7	SCT	29.86	82	74	3	2800	CU	80	080	1
10	045	4	7	SCT	29.86	80	73	3	2450	CU	80	075	1
11	045	7	7	SCT	29.86	81	73	4	2800	CU	81	075	1
12	045	10	7	SCT	29.86	83	73	3	3500	CC	81	075	1
13	050	13	7	SCT	29.86	83	73	3	3500	CC	81	075	1
14	050	12	7	SCT	29.87	84	73	4	3850	CI			
15	055	15	7	SCT	29.87	83	72	4	3850	CI			
16	055	11	7	BKN	29.88	82	72	7	3500	CC			
17	055	9	7	BKN	29.89	81	72	7	3150	CU			
18	055	8	7	BKN	29.89	80	71	7	3150	CU			
19	055	9	6	BKN	29.89	80	71	8	3150	CU			
20	055	6	6	BKN	29.89	79	71	8	2800	CU			
21	055	4	6	BKN	29.88	77	71	6	2100	CU			
22	055	5	6	SCT	29.87	76	71	5	1750	CU			
23	055	4	6	SCT	29.86	75	71	3	1400	CU			
24	055	4	6	SCT	29.85	73	70	3	1050	CU			

POSITION	ZONE	TIME
0800		
L 21-15.2N	BY	H
λ 157-57.2W	BY	H
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 458

FUEL CONSUMED 0000-2400: 164

REMARKS

00-04 Moored port side to berth A-5, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke in set. Receiving feed water and telephone services from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOSA is Com ASW For Pac.

L. L. Walker
LTJG USN

04-08 Moored as before. 0630 Mustered the crew on stations; Absentee: none. 0650 Set the Special Sea and Anchor Detail. 0715 Underway. IAW ComTRAGP OP-Ord-19-62 to local op area. Steering various courses & speeds for safe navigation of the P.H. Channel. Captain & Navigator on the Bridge. Ens Turner has the Conn. 0736 Passed Buoy #1 abeam to Stbd 100 yds. Speed 11.5 Kts. Course 155°. 0740 C/C 180°. Relieved Ens. Turner of

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: L. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 7 DECEMBER (Date) (Month), 19 62

00-08 Jdl 08-12 (continued) the Comm. 0747 c/c 190°. 0749 passed from Inland to International Waters. c/c 180°. Secured from Sea + anchor detail @ 0755.

J. L. Hollis, CWO 2. USN

08-12 Underway as before; 0803 c/s 9.5 Kts. 0810 commenced exercise Z-10-CC with USS Frontier (AD-25) Steering Various Courses + speeds for Z-10-CC exercise. 0842 Exercised the Crew at General Quarters. Ens. Horton took the Comm. 0846 Condition Zebra set through out the Ship. Continuing on Various courses + speeds for exercise Z-10-CC. 0914 Completed exercise Jdl 12-10-CC. c/c 360°. 0916 c/c 360°; c/s 12 Kts. lost Steering control - Steering from aft Steing Room. 0919 Steering Control on the Bridge - c/s 6.7 Kts. 0926 Secured from General Quarters. 0927 c/c 190°. 0934 deLorme took the Deck + Comm. 0935 c/s 12.3 Kts. c/c 090°. 0938 Commenced Engineering Drills - making Various speeds while holding Eng. Dept. Drills. 1014 Secured from holding Engineering Drills - 1015 c/c 270°. 1024 Relieved deLorme of Deck + Comm. Commenced Steering Various Courses + speeds while Holding man overboard drills. 1110 #1 MWB in the water - 1114 #1 MWB aboard. 1118 Secured from Emergency drills 1124 c/s 3.3 Kts. 1148 c/s 6.5 Kts. 1151 c/c 012°. 1155 made Daily Inspection of magazine temperatures + Smokeless powder Samples. Conditions normal. Made weekly test of magazine Sprinkler System Test Satisfactory. 1158 c/c 018°. Relieved ~~by Ens Swan of deck + Comm.~~

J. L. Hollis, CWO. 2-25N

12-16 ~~Moored As Before~~. UNDERWAY AS BEFORE. 1200 C/C 009° C/S 12.3 KTS. ENTERED INLAND WATERS. 1218 C/C 333° SET SPECIAL SEA AND ANCHOR DETAIL. 1225 C/C 328° C/S 10.1 KTS. 1230 PASSED BOUY #2 ABEAM TO STARBOARD; DISTANCE 2000 FT. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM TO PEARL HARBOR CHANNEL. 1256 PASSED BOUY #20 ABEAM TO STARBOARD; DISTANCE 100 FT. 1319 MOORED PORTSIDE TO BERTH S-17, U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII. 1325 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. MR. SWAN WAS THE CONN; CAPTAIN AND NAVIGATOR ON THE BRIDGE

W. L. Swan, ENS. USNR

18-20 MOORED AS BEFORE. 1800 USS TAKELMA (ATF 113) MOORED OUR STARBOARD SIDE. SET MATERIAL CONDITION YOKE THRU OUT THE SHIP.

J. E. Horton
Ens USN

20-24 MOORED AS BEFORE.

J. E. Horton
Ens USN

APPROVED: C. C. Reed LT. U.S.N. COMMANDING

EXAMINED: J. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 8 (Date) DECEMBER (Month) 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	2	6	SCT	29.84	72	69	3	1050	CU			
02	060	2	6	SCT	29.84	71	68	3	1050	CU			
03	060	3	6	SCT	29.83	70	67	2	1050	CU			
04	060	2	6	SCT	29.83	70	67	3	1050	CU			
05	060	2	6	SCT	29.84	70	67	3	1050	CU			
06	060	2	6	SCT	29.84	71	68	3	1050	CU			
07	060	1	7	SCT	29.85	71	68	3	1050	CU			
08	060	1	7	SCT	29.85	72	69	5	1050	CU			
09	0	0	7	BKN	29.86	76	71	6	1750	CU			
10	225	2	7	BKN	29.86	77	71	7	2100	CU			
11	225	6	7	BKN	29.86	77	71	7	2100	CU			
12	225	6	7	BKN	29.85	77	71	7	2100	CU			
13	225	5	7	BKN	29.84	77	71	8	2100	CU			
14	225	5	7	BKN	29.83	75	71	8	2450	CU			
15	225	6	7	BKN	29.82	81	72	6	3150	CU			
16	220	10	7	SCT	29.81	78	72	5	2100	CU			
17	220	7	7	SCT	29.81	80	72	5	2800	CU			
18	220	5	7	SCT	29.82	79	72	5	2450	CU			
19	220	3	6	SCT	29.83	78	71	5	2450	CU			
20	220	2	6	SCT	29.83	76	71	5	1750	CU			
21	220	2	6	SCT	29.83	75	71	4	1400	CU			
22	220	2	6	SCT	29.83	75	71	4	1400	CU			
23	220	3	6	SCT	29.84	74	71	3	1050	CU			
24	220	3	6	SCT	29.84	74	71	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
184

REMARKS

ØØ-12 MOORED PORT SIDE TO IN BERTH SIERRA 17 WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS COMASWFORPAC.

J E Horton
Ens USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW ON STATIONS. ABSENTEES NONE.

J E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY 8 DECEMBER, 62
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 1030 COMMENCED EXECUTIVE OFFICER'S PERSONNEL INSPECTION. 1048 SECURED FROM EXECUTIVE OFFICER'S PERSONNEL INSPECTION. 1109 MADE DAILY (INSPECTION) OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL

H.E. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H.E. Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H.E. Swan, ENS, USNR

20-24: MOORED AS BEFORE.

H.E. Swan, ENS, USNR

APPROVED:

C.C. Reed Lt U.S.N. COMMANDING

EXAMINED:

E. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 9 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII — TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	330	3	6	Sct	29.84	75	70	4	1750	CU			
02	330	3	6	Sct	29.84	75	70	5	1750	CU			
03	330	2	6	Sct	29.85	75	70	5	1750	CU			
04	330	4	6	Bkn	29.85	74	70	6	1400	CU			
05	330	5	6	Bkn	29.85	74	71	6	1050	CU			
06	330	4	6	Bkn	29.86	74	71	6	1050	CU			
07	330	5	6	Bkn	29.86	75	71	7	1400	CU			
08	330	5	7	Bkn	29.86	76	71	6	1750	CU			
09	330	5	7	Bkn	29.87	77	72	6	1750	CU			
10	330	7	7	Sct	29.88	78	73	5	1750	CU			
11	340	7	7	Sct	29.87	78	73	4	1750	CU			
12	340	9	7	Sct	29.85	78	73	5	1750	CU			
13	340	7	7	Bkn	29.84	78	72	6	2100	CU			
14	340	8	7	Bkn	29.82	80	72	7	28000	CU			
15	340	6	7	Bkn	29.81	81	73	8	28000	CU			
16	340	5	7	Bkn	29.81	83	73	8	3500	CU			
17	340	4	7	Bkn	29.83	81	73	8	28000	CU			
18	340	4	7	Bkn	29.84	78	73	7	1750	CU			
19	340	4	6	Bkn	29.85	77	73	7	1400	CU			
20	340	4	6	Bkn	29.86	76	73	6	1400	CU			
21	340	3	6	Bkn	29.86	76	72	6	1400	CU			
22	340	4	6	Sct	29.86	75	72	5	1050	CU			
23	340	3	6	Sct	29.86	75	72	3	1050	CU			
24	340	2	6	Sct	29.86	75	72	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 130

REMARKS

00-04: MOORED PORT SIDE TO BERTH S-17, U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. U.S.S. TAKELMA (ATF-113) MOORED ALONGSIDE TO STARBOARD. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H. E. SWAN, CNS, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS; ABSENTEES: ~~NONE~~. Vogel, N.E., 513-44-18, RM3, USN, UA from 0500 8 December 1962.

H. E. SWAN, CNS, USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: G. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 9 (Date) December (Month) 19 63

08-12 moored as before: 0930 made daily inspection of magazines and smokeless powder samples, conditions normal.

J.L. Wallis, CWO2, USN

12-16 moored as before.

J.L. Wallis, CWO2, USN

16-20 moored as before: 1800 condition yoke set throughout the ship.

J.L. Wallis, CWO, 2, USN

20-24 moored as before:

J.L. Wallis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walla LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 10 DECEMBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	335	3	6	SCT	29.85	75	72	2	1050	CU			
02	335	4	6	SCT	29.85	75	72	3	1050	CU			
03	330	4	6	SCT	29.86	75	71	4	1400	CU			
04	335	4	6	SCT	29.86	74	70	4	1400	CU			
05	335	4	6	BKN	29.86	75	71	6	1400	CU			
06	335	4	6	BKN	29.85	75	71	7	1400	CU			
07	335	6	7	BKN	29.86	75	71	8	1400	CU			
08	335	7	7	BKN	29.87	76	72	8	1400	CU			
09	340	9	7	BKN	29.87	76	73	8	1400	CU	80	340	3
10	340	15	7	OVC	29.88	77	73	10	1400	SC	80	340	4
11	005	15	7	OVC	29.88	77	73	10	1400	SC	80	340	4
12	005	16	7	OVC	29.87	78	73	10	1750	SC	80	345	5
13	010	17	7	BKN	29.86	78	73	8	1750	SC	80	345	5
14	350	11	7	BKN	29.85	78	73	8	1750	CU			
15	345	8	7	BKN	29.85	79	73	7	2100	CU			
16	350	5	7	BKN	29.85	79	73	8	2100	CU			
17	335	5	7	BKN	29.86	81	73	7	2300	CU			
18	335	4	7	BKN	29.86	80	73	7	2450	CU			
19	335	4	7	BKN	29.87	79	72	6	2450	CU			
20	340	4	6	SCT	29.88	77	72	5	1750	CU			
21	340	3	6	SCT	29.88	77	72	5	1750	CU			
22	340	3	6	SCT	29.88	76	72	4	1400	CU			
23	340	3	6	SCT	29.88	76	72	4	1400	CU			
24	340	3	6	SCT	29.88	76	73	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 56.5

FUEL CONSUMED 0000–2400: 847

REMARKS

00-04 Moored port side to Sierra (-17) U.S. Naval Submarine Base, Pearl Harbor, Hawaii using four (4) standard mooring lines doubled receiving Fresh Water and telephone service from the pier. USS Tapelma (APF-43) moored to Starboard. Ships present include various units of the U.S. Pacific Flt. district and small craft. SOPA is C.in.C. Pac Flt. Condition Yoke set throughout the ship.

J. L. Hallis, Lt(jg), USN

04-08 Moored as before. 0730 Mustered the crew on station; Vogel, N.E., 513-44-18, RM3, USN, UA from ~~none~~ 0806 ✓ 0806 ✓ 0806 ✓

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 10 (Date) December (Month) 19 62

clear berth and stand out of port. 0858 Passed buoy #15 abeam to starboard, range 150 ft. 0910 Passed buoy #9 abeam to starboard, range 100 ft. Secured degaussing. 0914 Passed buoy #5 abeam to starboard, range 150 ft. 0920 Passed buoy #1 abeam to starboard, range 150 ft. Set course 153°, speed 14.3 kts. 0921 Secured the Special Sea and Anchor Detail, set regular underway watch. 0935 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. Entered International Waters. 1006 C/C to 217° 1018 C/C to 235° 1026 C/C to 246° 230 1029 C/C to 222 1040 C/C to 218° 1043 C/C to 210 1048 EXERCISED CREW AT GENERAL QUARTERS. 1052 C/C to 240 S/S to 8 KNTS 1058 MANEURVING ON VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION ON TARGET SLED. 1110 COMMENCED EXERCISE Z-21-G 1115 S/S to 9.5 KNOTS. 1125 COMPLETED EXERCISE Z-~~FSH~~-21-G. 1126 S/S to 13 KNOTS 1140 S/S to 6.7 KNOTS. 1142 S/S to 9.5 KNOTS. 1146 S/S to 6.7 KNOTS. 1148 S/S to 13 KNOTS C/C to 060° 1150 S/S to 6.7 KNOTS C/C to 080° 1152 COMMENCED EXERCISE Z-27-G. 1155 COMPLETED EXERCISE Z-27-G. 1157 S/S to 12.3 KNOTS.

J E Horton
Ens USN

12-16 UNDERWAY AS BEFORE. 1201 SECURED FROM GENERAL QUARTERS. 1204 S/S to 6.7 KNOTS. 1205 C/C to 060° 1206 S/S to 12.3 KNOTS. 1236 C/C to 025° 1340 S/S to 3.3 KNTS. 1415 C/C to 045° S/S to 12.3 KNOTS. 1425 S/S to 3.3 KNOTS 1427 C/C to 025° 1431 SET SPECIAL SEA AND ANCHOR DETAIL ENS HORTON HAS DECK AND C.O.N.N. CAPTAIN AND NAVIGATOR ON THE BRIDGE. Entered Inland Waters 1441 PASSED BOUY 2 ABEAM TO STARBOARD APROX 100 FT ON COURSE 325° SPEED 10.1 KNOTS. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL 1450 PASSED BOUY 6 ABEAM TO STBD APROX 100 FT. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH ALPHA FIVE. 1500 MOORED PORT SIDE TO IN BERTH ALPHA FIVE PEARL HARBOR. HAWAII With standard mooring lines doubled. 1514 SECURED SPECIAL SEA DETAIL.

J E Horton
Ens USN.

16-24 Moved as before. 1800 Set Material Condition Yoke throughout the ship. 1819 U.S.S. Safeguard (ARS-25) came alongside to port and moored.

R. L. Walker
Lt/j/g USN

20-24 Moved as before.

R. L. Walker
Lt/j/g USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt/j/g U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Tuesday (Day) 11 (Date) December (Month), 19 62

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	340	4	6	SCT	29.88	76	72	5	1400	CU			
02	340	4	6	SCT	29.88	75	73	5	1050	CU			
03	340	4	6	SCT	29.88	73	70	4	1050	CU			
04	340	4	6	SCT	29.88	69	66	4	1050	CU			
05	340	4	6	SCT	29.88	71	68	5	1050	CU			
06	340	3	6	SCT	29.88	71	68	5	1050	CU			
07	340	3	6	SCT	29.88	71	68	5	1050	CU			
08	345	4	7	SCT	29.89	73	70	5	1050	CU			
09	345	4	7	BKN	29.89	78	73	6	2100	CU			
10	350	4	7	BKN	29.89	83	75	7	2450	CU			
11	350	4	7	BKN	29.90	83	75	7	2800	CU			
12	330	5	7	BKN	29.90	80	73	8	2450	CU			
13	325	5	7	BKN	29.89	80	74	8	2100	CU			
14	300	5	7	BKN	29.88	79	74	7	1750	CU			
15	295	5	7	BKN	29.86	79	74	8	1750	CU			
16	300	5	7	BKN	29.85	78	74	8	1400	CU			
17	305	4	7	BKN	29.84	78	74	7	1400	CU			
18	305	5	7	BKN	29.84	76	73	6	1050	CU			
19	300	4	7	BKN	29.83	75	73	6	1050	CU			
20	300	3	6	BKN	29.83	75	73	6	1050	CU			
21	300	3	6	BKN	29.83	74	70	7	1400	CU			
22	180	4	6	BKN	29.84	74	71	7	1050	CU			
23	180	4	6	SCT	29.85	73	70	5	1050	CU			
24	185	4	6	SCT	29.86	73	70	4	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 952

REMARKS

00-04 Moored port side to berth A-5 at U.S. Naval Station, Pearl Harbor, Hawaii in a nest of two ships with the U.S.S. Safeguard (ARS-25) moored alongside to starboard with standard mooring lines doubled. Material Condition Yoke is set. Receiving fresh water and telephone service from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Com Sec Flt.

R. L. Walker
LT/J6 USN

04-08 Moored as before. 0645 Mustered the crew at quarters; Absentees: Vogel, N.E., 513-44-18, RM3, USN, UA from ~~0730~~ 0900 N 8 December 1962. 0733 U.S.S. Safeguard (ARS-25) underway from alongside.

R. L. Walker
LT/J6 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/J6 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 11 (Date) DECEMBER (Month), 19 62

0800-1200 MOORED AS BEFORE. 1050 NO. 2. MOTOR WHALE BOAT RETURNED TO SHIP BY U.S. NAVAL SHIPYARD PEARL HARBOR, REPAIRS COMPLETED. 1115 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J E Horton
Enc USN.

1200-1600 MOORED AS BEFORE.

J E Horton
Enc USN

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Enc USN.

2000-2400 MOORED AS BEFORE.

J E Horton
Enc USN

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Wallace LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI CATF-96 ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 12 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	185	3	6	SCT	29.85	73	70	5	1050	CU			
02	190	3	6	SCT	29.84	73	70	5	1050	CU			
03	190	2	6	BKN	29.82	73	70	7	1050	CU			
04	195	1	6	BKN	29.81	72	69	8	1050	CU			
05	195	2	6	BKN	29.82	72	69	8	1050	CU			
06	210	2	6	BKN	29.82	72	69	7	1050	CU			
07	220	1	7	BKN	29.83	73	70	6	1050	CU			
08	0	0	7	OVC	29.84	74	71	10	1050	SC			
09	195	2	7	OVC	29.84	75	71	10	1400	ST			
10	195	4	7	L	29.85	76	71	10	1750	ST			
11	220	6	7	BKN	29.85	76	71	8	1750	SC			
12	220	6	7	BKN	29.84	76	71	7	1750	SC			
13	235	7	7	SCT	29.83	78	73	4	1750	CU			
14	235	7	7	SCT	29.82	79	75	3	1400	CU			
15	235	7	7	SCT	29.81	80	76	2	1400	CU			
16	235	7	7	SCT	29.80	80	76	2	1400	CU			
17	235	6	7	SCT	29.80	78	74	2	1400	CU			
18	235	6	7	SCT	29.80	78	74	2	1400	CU			
19	235	6	7	SCT	29.80	78	74	2	1400	CU			
20	230	5	7	SCT	29.82	76	73	1	1050	CU			
21	235	5	7	SCT	29.84	76	73	1	1050	CU			
22	240	4	7	SCT	29.84	75	72	2	1050	CU			
23	245	4	7	SCT	29.85	74	71	2	1050	CU			
24	245	4	7	SCT	29.86	74	71	2	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 6559

REMARKS

Ø0-04 MOORED PORT SIDE TO IN BERTH ALPHA FIVE, U.S. NAVAL STATION, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS C.INC PAC FLT.

J E Horton
Ens USN

Ø4-Ø8 MOORED AS BEFORE. Ø65Ø MUSTERED CREW AT QUARTERS ABSENTEES. ~~NONE~~. Vogel, N.E., 513-44-18, RM3, USN UA SINCE 0900 8 December 1962.

J E Horton
Ens USN

APPROVED: C Reed LT U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 12 (Date) December (Month), 19 62

0800-1200: Moored as before. 0818 USS SUNNADIN (ATA-197) moored alongside to Starboard. 0855 made daily inspections of magazines and smokeless powder samples; conditions normal. 1034 commenced transferring fuel to USS SUNNADIN (ATA-197). Draft forward 13'5" Aft 16'2". 1146 secured from transferring fuel; Draft forward 13'4" Aft 15'11"

A.E. Swan, ENS, USNR

1200-1600: moored as before

A.E. Swan, ENS, USNR

1600-2000 Moored as before. 1800 set material condition Yoke.

A.E. Swan, ENS, USNR

2000-2400 moored as before

A.E. Swan, ENS, USNR

APPROVED: C.C. Reed LT, U.S.N. COMMANDING

EXAMINED: A.L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Thursday (Day) 13 (Date) December (Month), 19 62

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	340	2	6	SCT	29.86	74	71	5	1050	CU			
02	345	2	6	SCT	29.85	73	70	5	1050	CU			
03	345	2	6	SCT	29.85	73	70	4	1050	CU			
04	345	2	6	SCT	29.84	74	71	4	1050	CU			
05	345	2	6	SCT	29.84	74	71	5	1050	CU			
06	345	2	6	SCT	29.86	75	72	5	1050	CU			
07	345	3	6	BKN	29.89	75	72	6	1050	CU			
08	345	4	7	BKN	29.89	76	72	6	1400	SC	79	340	1
09	350	4	7	BKN	29.90	77	73	7	1400	SC	79	340	1
10	355	3	7	BKN	29.90	78	73	8	1750	SC	79	340	1
11	360	1	7	BKN	29.91	79	74	8	1750	SC	79	340	1
12	270	2	7	BKN	29.92	80	74	9	2100	SC	79	345	2
13	270	1	7	BKN	29.93	80	74	9	2100	SC	80	345	2
14	265	3	7	BKN	29.93	82	75	8	2450	SC	80	250	2
15	260	5	7	BKN	29.94	83	75	8	2800	SC	80	250	1
16	255	7	7	BKN	29.96	82	75	7	2450	SC			
17	260	6	7	BKN	29.98	81	74	7	2450	SC			
18	260	6	7	BKN	29.98	78	74	8	1400	SC			
19	250	4	6	BKN	29.97	76	73	8	1050	SC			
20	245	2	6	BKN	29.96	74	71	8	1050	SC			
21	245	1	6	BKN	29.94	74	71	8	1050	SC			
22	245	1	6	BKN	29.97	73	70	8	1050	SC			
23	250	2	6	BKN	29.96	74	70	7	1400	ST			
24	245	2	6	BKN	30.02	75	71	8	1400	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 55.7

FUEL CONSUMED 0000–2400: 1443

REMARKS

00-04: Moored portside to berth A-5, US Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. USS SUNNADIN (ATA-197) moored alongside to starboard Material condition Yoke is set. Recieving fresh water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CinC Pac Fleet

W. E. Swan, CDS, USNR

04-08 moored as before; 0710 mustered the Crew on Stations, Unauthorized Absentees: Vogel, N.E., USN 513-44-18 RM3 since 0500 8 Dec-62 A 0743 Underway IAW OPS ORD 50-62 to local ops area. Captain and navigator on the bridge. Steering Various Courses & speeds for safe navigation of Harbor & Channels. 0800 passed Buoy #1 abeam to Stbd. apprx 150 feet.

CWO Hollis has the conn

J. D. Hollis, CWO 2, USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: G. L. Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 13 (Date) December (Month), 19 62

Ø8-12 Underway as before; 0802 Secure Sea detail Course 160°, speed 9.5 Kts. 0807 C/C 105°; C/S 12.3Kts. ~~0810 ENTERED INTERNATIONAL WATERS.~~ A Ø826 C/S 6.7 Kts C/C Ø28°. Ø829 commenced exercise Z-5-N, commanding Officer USS Abnaki (ATF-96) OCE. Steering various courses at various speeds to approach anchorage. Ø836 made daiby inspections of magazines and smakeless powder samples; conditions normal Ø839 anchored in 2Ø fathoms of water in ~~operating area~~ Anchorage # 8 with 45 fathoms of chain to the port anchor, sand bottom on the following bearings: LaHonde Ø59¾°, radio tower Ø25½°. Ø847 commenced heaving in the port anchor. Ø85Ø underway from anchorage C/S 3.3 Kts. Ø853 C/S 9.5 Kts C/C 2Ø8°. Ø859 C/S 13.3 Kts Ø9Ø6 C/C 028 C/S 6.7 Kts. Ø9Ø7 commenced steering various courses at various speeds to approach anchorage. Ø923 anchored in 23 fathoms of in ~~operating area~~ Anchorage # B with 45 fathoms of chain to the port anchor; sand bottom on the following bearings: peak 112°, radio tower Ø27 LaHonde Ø58½°. Cupola Ø94½° Ø925. commenced heaving in the port anchor Ø93Ø underway from anchorage Ø933 C/S 13.3 kts, C/C 215°. Ø941 entered international waters. 0942 Entered inland waters ~~C/C~~ 0944 C/C Ø28° C/S 6 Kts. Secured from exercise Z-5-N. 0946 commenced exercise Z-14-CC Commanding Officer USS Abnaki (ATF-96) OCE. Steering various courses at various speeds to approach anchorage. 1ØØ3 Anchored in 26 fathoms of water in ~~Honolulu operation area~~ Anchorage # B with 45 fathoms of chain to the port anchor; sand bottom on the following bearings: Aloha Tower 354°, Peak 112°, Cupola Ø94° LaHonde Ø58¾° 1Ø05 commenced heaving in the port anchor 1006 completed exercise Z-14-CC 1Ø07 underway from anchorage C/S 3.3 kts 1Ø13 C/S 9.5 Kts C/C 19Ø° 1Ø16 C/S 13.3 Kts A Entered International Waters 1Ø25 C/C 25Ø° 1Ø27 C/S 8 Kts. 1032 commenced exercises Z-26-S, commanding Officer USS. Sumnadin OCE. 1Ø53 completed exercises Z-26-S Ø55 set the towing detail 1104 Commenced exercise Z-6-S Commanding Officer USS Sumnadin (ATA-197) OCE. 1114 Abnaki under tow. 1153 Cast off towing Hawser C/S 9.5 kts C/C 31Ø° Commenced steering various courses at various speeds to approach USS Sumnadin (ATA-197)

R. L. Swan, ENS, USNR

12-16. Underway as before. 12Ø1 C/C to 130° 12Ø4 C/S to 6.7 Kts 1206 C/C to 230° 1207 C/C to 260° manuvering on various courses at various speeds making approach to USS Sumnadin (ATA 197) to take her in tow 1226 Commenced towing the USS Sumnadin (ATA 197) 1231 C/S 25 Kts Tow broken with USS. Sumnadin (ATA-197). 1223 C/S to 9 11 S top. 1235 secured from exercise Z-6-S with USS Sumnadin (ATA-197) C/S to 6.7 Kts C/C to 240° 124Ø Commenced Engineering casualty drills 1244 C/C to 27Ø° 1257 C/S to 33 Kts C/C 090° 1317 Secured from Engineering Casualty drills. 1320 Held GQ drill, 1324 all stations manned and ready, condition Zebra slt ~~bo~~ RT 1355 Condition Yoke set. 14Ø8 C/C to 33Ø° 14Ø9 C/S to 6.7 Kts C/C to 318°, 1413 C/S to 9.5 Kts 1416 C/C to 313; 1426 Secured from GQ. 1428 C/S to 12.3 kts 1432 C/C to 319° 1439 C/C to 3ØØ° 1442 C/C to 334° 1449 C/C to 332° 1445 Set Special Sea & Harbor Detail. Captain and Navigator on Bridge. Relieved Turner has the conn. Entered Inland Waters 1448 Steering Various Courses to keep on range markers A 1454 Passed buoy number 2 to starboard 1455 manuvering various courses at various speeds to conform with Pearl Harbor Channel. 1504 manevering at various courses at various speeds to moor

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ (Day) (Date) (Month) , 19 _____

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 13 (Date) December (Month), 19 62

to berth alfa-five (A-5) 1500 moored portside to berth alfa-five (A-5), Pearl Harbor Hawaii. W. th 5 standard mooring lines doubled. 2

T. W. Lowe

16-20 Moored as before; 1800 Set material condition Yoke throughout the ships.

J. D. Hollis, CWO-2, USN

20-24 Moored as before.

J. D. Hollis, CWO-2, USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: L. L. Walker 2nd/c U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 14 (Date) December (Month), 1962

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	245	2	6	BKN	30.02	75	72	8	1050	St			
02	245	2	6	BKN	30.02	75	72	7	1050	St			
03	245	2	6	BKN	30.02	75	72	8	1050	St			
04	245	2	6	OVC	30.02	75	72	10	1050	St			
05	250	11	6	OVC	30.03	75	72	9	1050	St			
06	250	17	6	BKN	30.04	74	71	8	1050	St			
07	300	19	6	BKN	30.06	73	70	8	1050	SC			
08	345	23	7	BKN	30.08	73	70	8	1050	SC	79	080	3
09	025	19	7	BKN	30.10	73	70	8	1050	SC	79	080	3
10	055	14	7	BKN	30.10	75	71	6	1400	SC	79	080	3
11	055	10	7	Sct	30.10	77	72	5	1750	SC			
12	055	10	7	Sct	30.10	79	73	5	2100	Cu			
13	055	9	7	Sct	30.10	79	72	4	2450	Cu			
14	050	9	7	Sct	30.10	79	72	4	2800	Cu			
15	050	9	7	Sct	30.08	81	73	4	2800	Cu			
16	050	7	7	Sct	30.08	80	73	4	2450	Cu			
17	050	6	7	Sct	30.08	78	72	3	2100	Cu			
18	050	7	7	Sct	30.10	76	72	3	1400	Cu			
19	050	5	6	Sct	30.12	75	72	4	1050	Cu			
20	050	4	6	Sct	30.11	73	70	3	1050	Cu			
21	050	4	6	Sct	30.11	72	69	3	1050	Cu			
22	050	3	6	Sct	30.11	72	69	2	1050	Cu			
23	050	2	6	Sct	30.10	73	70	2	1050	Cu			
24	050	2	6	Sct	30.10	72	69	2	1050	Cu			
									1050	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 50

FUEL CONSUMED 0000-2400: 946

REMARKS

0000-0400 Moored portside to berth Alfa-five (A-5), U.S. Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. Material condition Yoke is set. Receiving fresh water and telephone services from the pier. Ships present include various units of the U.S. Pacific Fleet, yard and district craft S.O.P.A. is Cruiser Flot.

J.M. Hollis CWO-2, USN

0400-0800 Moored as before, 0630 mustered on stations absentees Vogel N.E. 5134418 Sm 3, USN. UA from 0900 on 8 December 1962., 0637 set condition Yoke, Captain and navigator on the bridge. 0658 Underway, ~~my~~ Lts Hortes Ens, Horton USN, Line Officer in accordance with Flot Jap Grp Op Order 50-62 from Berth Alfa-five to local Ops Area. Maneuvering on various courses and various speeds to clear berth and stand out of port. Maneuvering on various courses and speeds to conform to Pearl Harbor Channel. 0710 cleared Pearl Harbor channel and

APPROVED: C. C. Reed LT U.S.N. COMMANDING

EXAMINED: A. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 14 (Date) December (Month), 1962

passed bouy #1, secured the special sea and anchor detail and set the regular underway watch. Ø714 C/S to 9.5 Kts. Ø715 C/S to 13.3 Kts, C/C 153°. Ø717 C/C to 116°. Ø72Ø C/C 118°. ~~Ø750 eight o'clock reports made to the Captain~~ Entered International Waters Ø759 C/C to Ø9Ø

J. D. Hollis, CWO-2, USN

Ø8-12 RT Underway as before. Ø822 C/C 27Ø C/S to 3.3kts. Ø825 Commenced exercise Z-10-CC with USS Safeguard (ARS-25) maneuvering on various courses at various speeds to conduct exercises Ø944 Completed exerise Z-10-CC with USS Safeguard (ARS-25) C/C to 29Ø, C/S to 13 Kts. Ø958 C/C to 33Ø. Entered Inland Waters. 1ØØØ C/C to 34Ø° 1ØØ2 C/C to 335° C/S to 12.3 kts, set the special sea and anchor detail. Captain Navigator on the bridge, Ens Turner the Conn 1ØØ6 C/C to 337°. 1Ø1Ø maneuvering at various courses and speeds to conform with Pearl Harbor channel upon passing bouy #1. 1Ø24 maneuvering at various courses and speeds to moor at berth alfa-six. 1Ø35 moored starboard side to berth alfa-six Pearl Harbor Hawaii 1129 made daily inspection of magazines and smokeless powder samples, conditions normal. Made weekly test of magazine sprinkler system, operation satisfactory. RT

R M Turner Ens USNR

12-16 Moored as before

R M Turner Ens USNR

16-20 Moored as before 18Ø0 set condition Yoke.

R M Turner Ens USNR

2Ø-24 Moored as before

R M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: B. L. Walker Lt/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Saturday (Day) 15 (Date) December (Month), 1962

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	2	6	SCT	30.10	72	69	2	1050	CU			
02	045	3	6	SCT	30.10	71	68	4	1050	CU			
03	045	1	6	SCT	30.10	71	68	5	1050	CU			
04	050	2	6	BKN	30.10	72	69	7	1050	SC			
05	050	2	6	BKN	30.09	72	69	8	1050	SC			
06	050	2	6	SCT	30.09	73	69	5	1050	SC			
07	050	3	7	SCT	30.09	73	69	5	1400	SC			
08	050	3	7	BKN	30.10	74	70	6	1400	SC			
09	050	5	7	BKN	30.10	76	71	8	1750	SC			
10	050	4	7	SCT	30.10	79	73	4	2100	SC			
11	050	6	7	SCT	30.10	80	73	4	2450	CU			
12	050	4	7	SCT	30.08	83	74	5	2800	CU			
13	050	5	7	SCT	30.08	84	74	5	3500	CU			
14	050	4	7	SCT	30.07	84	74	4	3500	CU			
15	050	3	7	SCT	30.07	85	74	4	3850	CU			
16	050	4	7	SCT	30.07	85	74	4	3850	CU			
17	050	4	7	SCT	30.06	83	74	3	3150	CU			
18	050	3	7	SCT	30.06	80	73	3	2450	CU			
19	055	3	6	SCT	30.06	78	75	3	1750	CU			
20	055	2	6	SCT	30.07	76	72	3	1400	CU			
21	055	3	6	SCT	30.07	75	72	3	1050	CU			
22	055	4	6	SCT	30.08	75	72	2	1050	CU			
23	055	4	6	SCT	30.08	75	72	2	1050	CU			
24	055	3	6	SCT	30.09	75	72	2	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
853

REMARKS

00-04 Moored starboard side to berth alpha six with standard mooring lines doubled up. Recieving fresh water and telephone service from the pier. Ships present include various units of the US Pacific Fleet, yard and district craft. SOPA is ComC Pac Fleet. Natural Condr from Koke is set.

L M Turner Ens USNR

04-08 Moored as before. 0645 Mustered the crew at quarters. Absentees; Vogel, N.E. 513-44-18 Rm3 USN. UA from ~~0900~~ ~~0730~~ 8 December.

L M Turner Ens USNR

APPROVED: C C Bird Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 15 (Date) DECEMBER (Month) 62

0800-1200 MOORED AS BEFORE. 1010 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

J E Horton
Ens USN

1200-1600 MOORED AS BEFORE.

J E Horton
Ens USN

1600-2000 MOORED AS BEFORE 1800 SET CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Ens USN

2000-2400 ~~MOORED~~ JEH MOORED AS BEFORE. JEH

J E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 16 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	060	5	6	Set	30.09	75	73	3	1050	CU			
02	060	7	6	Set	30.09	75	73	3	1050	CU			
03	060	7	6	Set	30.09	75	73	2	1050	CU			
04	055	6	6	Set	30.09	75	71	3	1400	CU			
05	060	5	6	Set	30.08	75	71	5	1400	CU			
06	060	3	6	Set	30.08	75	71	5	1400	CU			
07	050	3	7	Bkn	30.08	77	71	6	2100	CU			
08	050	2	7	Bkn	30.08	79	73	6	2450	CU			
09	050	2	7	Bkn	30.07	80	74	6	2100	CU			
10	050	2	7	Bkn	30.07	82	74	8	2800	CU			
11	060	3	7	Bkn	30.07	83	74	8	3150	AC			
12	060	3	7	Bkn	30.06	85	74	7	3850	CC			
13	065	6	7	Bkn	30.06	85	75	8	3500	CC			
14	065	4	7	Bkn	30.05	85	75	7	3500	CC			
15	065	6	7	Bkn	30.05	84	75	7	3150	CC			
16	065	3	7	Bkn	30.05	84	75	6	3150	CC			
17	055	3	7	Set	30.07	82	74	5	2800	CU			
18	055	2	7	Set	30.09	79	74	5	1750	CU			
19	050	2	6	Set	30.11	77	73	5	1400	CU			
20	050	3	6	Set	30.10	76	72	4	1400	CU			
21	050	3	6	Set	30.08	76	73	5	1050	CU			
22	050	2	6	Set	30.05	75	72	3	1050	CU			
23	050	2	6	Set	30.03	75	72	3	1050	CU			
24	055	2	6	Set	30.00	74	71	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 159

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH ALPHA-SIX (6) WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

L. E. Horton
Ens USN

ØH-Ø8 MOORED AS BEFORE. Ø73Ø MUSTER CREW ON STATIONS: ABSENTEES: VOGEL, N.E. 513-44-18 RM3 USN. ABSENT FROM ~~Ø73Ø~~ 0800 8 DECEMBER 1962.

L. E. Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] LDG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 16 (Date) DECEMBER (Month), 62

0800-1200: MOORED AS BEFORE. 1115 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H K Swan ENS USNR

1200-1600: MOORED AS BEFORE.

H K Swan ENS USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H K Swan, ENS, USNR

2000-2400: MOORED AS BEFORE

H K Swan ENS USNR

APPROVED: C C Reed Lt, U.S.N. COMMANDING

EXAMINED: A. L. Walker Lt/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 17 DECEMBER, 19 61
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	5	10	SCT	2999	65	60	4	1750	CU			
02	023	5	10	SCT	2999	68	63	4	1750	CU			
03	020	3	10	SCT	3000	70	65	4	1750	CU			
04	010	3	10	SCT	3000	72	67	4	1750	CU			
05	010	4	10	SCT	3001	72	67	4	1750	CU			
06	015	4	10	SCT	2999	73	68	4	1750	CU			
07	020	4	10	SCT	2998	73	68	5	1750	CU			
08	030	4	7	SCT	2998	73	68	5	1750	CU			
09	040	4	7	BKN	2996	75	70	6	1750	CU			
10	040	4	7	BKN	2997	75	70	7	1750	CU			
11	040	4	6	BKN	2997	77	72	8	1750	CU			
12	050	3	5	BKN	2997	77	72	~~1750~~ 8	1750	CU			
13	040	2	5	BKN	2997	75	72	9	1050	CU			
14	050	1	7	BKN	2997	74	73	9	350	ST			
15	050	1	6	R	2997	74	73	10	350	ST			
16	050	1	5	BKN	2998	73	71	~~700~~ 8	700	CU			
17	060	1	7	BKN	2998	73	71	~~700~~ 8	700	CU			
18	040	1	8	BKN	2996	72	70	~~700~~ 8	700	CU			
19	040	2	10	BKN	2996	70	67	~~1050~~ 7	1050	CU			
20	030	3	10	BKN	2997	70	66	~~1400~~ 7	1400	CU			
21	030	2	10	BKN	2997	68	63	6	1750	CU			
22	230	3	10	BKN	2998	68	63	6	1750	CU			
23	020	2	10	SCT	2998	65	60	5	1750	CU			
24	010	1	9	SCT	2998	64	62	2	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000–2400
0

FUEL CONSUMED
0000–2400
350

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH A-6, U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS SHIPS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H. L. [illegible], ENS, USNR

04-08: MOORED AS BEFORE. 0645 MUSTERED THE CREW AT QUARTERS; ABSENTEES: VOGEL, N.E. 513 44 18, RM3, USN, UA since 0600 8 Dec. 61 AND ARGAO, R.G., 513 04 85, TN, USN. 0701 ARGAO, R.G., 513 0485, TN, USN REPORTED ABOARD.

H. L. [illegible] ENS, USNR

APPROVED: C. C. Read Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/JG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Monday (Day) 17 (Date) December (Month), 1962

08-12 moored as before. 1009 made daily inspection of magazines and Smokeless Powder Samples, Conditions Normal.

J.L. Hollis, CWO-2, USN

12-16 moored as before.

J.L. Hollis, CWO-2, USN.

16-20 moored as before; 1800 Set material Condition "Yoke" Throughout the Ship.

J.L. Hollis, CWO-2, USN

20-24 moored as before;

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed LT U.S.N. COMMANDING

EXAMINED: A.L. Walker LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Tuesday (Day) 18 (Date) December (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	300	5	9	BKN	2990	62	59	6	1050	CU			
02	300	5	9	BKN	2990	62	59	6	1050	CU			
03	300	5	9	BKN	2990	62	59	6	1050	CU			
04	300	2	9	BKN	2990	60	53	6	2450	CU			
05	300	2	9	SCT	2990	60	53	4	2450	CU			
06	300	2	9	SCT	2990	60	52	4	2100	CU			
07	290	1	10	SCT	2992	60	57	2	1050	CU			
08			10	SCT	2992	62	60	3	700	CU			
09	310	8	10	SCT	2992	68	62	4	2100	CU			
10	310	8	10	SCT	2993	73	67	4	2100	CU			
11	310	8	10	SCT	2993	74	68	4	2100	CU			
12	315	5	10	SCT	2992	75	69	4	2100	CU			
13	000	4	10	BKN	2992	76	70	8	2100	CU			
14	355	1	10	BKN	2992	77	71	8	2100	CU			
15	355	1	10	BKN	2993	76	70	8	2100	CU			
16	350	1	10	BKN	2992	75	69	8	2100	CU			
17			10	BKN	2991	75	69	8	2100	CU			
18	355	2	9	BKN	2989	74	68	7	2100	CU			
19	350	1	9	BKN	2991	73	67	7	2100	CU			
20	350	1	9	SCT	2991	70	65	4	1750	CU			
21	350	1	9	SCT	2991	69	64	3	1750	CU			
22	350	1	9	SCT	2991	67	63	1	1400	CU			
23	350	1	9	SCT	2991	66	63	2	1050	CU			
24	010	1	9	SCT	2991	64	62	2	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 398

REMARKS

0H-08 moored Stbd. Side to berth ALFA 6, US NAVAL STATION, Pearl Harbor, Hawaii, using four (4) Std. mooring lines doubled. Receiving Fresh Water and Telephone Service from the pier. Ships present include various units of the U.S. Pacific Fleet. District and Small craft. SOPA is CinCPacFlt. Condition "yoke" set throughout the ship.

J. L. Hollis, CWO-2, USN

0H-08 moored as before. 0645 mustered the Crew at Quarters. No unauthorized Absentees: Vogel, N.E. 513-44-18 RM3 USN UA Since ~~0700 0730~~ ~~11 DEC 62~~. 8 December 1962.

J. L. Hollis, CWO-2, USN

APPROVED: C. E. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LDG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Tuesday (Day) 18 (Date) December (Month) 1962

0800-1200 Moored as before. 0815 made daily inspections of magazine and smokeless powder samples; conditions normal. 1015 Commanding officer held non judicial mast, Martin Albert (n) SA 5380356 was awarded ~~fourteen (14) day~~ two hours extra duty for fourteen days in violation of Article 86 of the UCMJ.

Robert M Turner Ens USN

1200-1600 Moored as before.

Robert M Turner Ens USN

1600-2000 Moored as before. 1800 Set condition Yoke through out the ship.

Robert M Turner Ens USN

2000-2400 Moored as before

Robert M Turner Ens USN

APPROVED: C E Read Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker 4/16 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday (Day) 19 (Date) December (Month), 19 62

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	025	2	10	SCT	2993	68	65	4	1050	CU			
02	025	2	10	SCT	2992	67	65	3	700	CU			
03	035	3	10	SCT	2990	67	65	3	700	CU			
04	040	2	10	SCT	2990	67	64	3	1050	CU			
05	040	2	10	SCT	2990	67	64	3	1050	CU			
06	040	2	10	SCT	2989	67	64	3	1050	CU			
07	040	2	10	SCT	2989	67	64	3	1050	CU			
08	040	2	10	SCT	2989	67	64	2	1050	CU			
09	030	5	10	SCT	2990	70	66	5	1050	CU			
10	000	C	10	BKN	2990	73	68	6	1750	SC			
11	280	7	10	BKN	2990	75	65	9	3500	SC			
12	280	8	10	BKN	2990	71	68	9	1050	ST			
13	290	10	10	OVC	2988	71	70	10	1400	ST			
14	290	7	10	L	2989	73	68	10	1850	ST			
15	290	7	10	L	2989	73	67	10	2200	ST			
16	290	7	10	R	2989	72	66	10	2200	ST			
17	290	7	10	BKN	2989	71	65	8	2200	ST			
18	290	5	10	BKN	2988	70	64	7	2200	ST			
19	295	5	10	BKN	2989	69	64	7	1850	SC			
20	295	5	10	BKN	2990	69	64	7	1850	SC			
21	295	4	10	BKN	2990	68	62	7	2200	CU			
22	295	4	10	BKN	2990	68	62	7	2200	CU			
23	290	4	10	BKN	2990	68	62	6	2200	CU			
24	300	5	10	BKN	2990	64	59	6	1850	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 9.9

FUEL CONSUMED 0000–2400: 6576

REMARKS

ØØ-Ø4 Moored starboard side to berth Alfa-six with standard mooring lines doubled up. Material condition Yoke is set throughout the ship. Recieving fresh water and telephone service from the pier. Ships present include various units of US Pacific Fleet yard and district craft. SOPA is CinC Pac Fleet.

Robert M Turner Ens USN

Ø4-Ø8 Moored as before. Ø649 set special sea & anchor detail; Ø645 Captain & Navigator on the bridge, Ens Turner has the conn, AND Ens Swan has det. Ø656 Underway in compliance with verbal order Port service officers from berth Alfa-six to whiskey three. Maneuvering on various courses and at various speeds to clear Alfa-six Ø658 Maneuvering various courses and at various speeds to conform with harbor channels. Ø722 Maneuvering on various courses and speed to moore: starboard side to berth Whiskey-three. 0727 Moored berth W-3 with standard mooring lines, starboard side to. 0730 Commenced off loading all Ammunition.

Robert M Turner Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 19 (Date) DECEMBER (Month) 1962

Ø8-12. MOORED AS BEFORE. Ø8HO COMPLETED UNLOADING OF ALL AMMUNITION. Ø841 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. CAPTAIN HAS THE CONN AND DECK. Ø8H7 UNDERWAY IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTROL. PROCEEDING FROM BERTH WHISKEY THREE TO BERTH HOTEL ONE AND ONE HALF (1½). MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CLEAR BERTH WHISKEY ~~TWO (2)~~ THREE (3). Ø849. STEADY ON COURSE Ø5Ø°-9.5 KNOTS. Ø850 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH WESTLOCK AND PEARL HARBOR CHANNEL. Ø919 COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS TO APPROACH AND MOOR IN BERTH HOTEL 1½. Ø932 MOORED PORT SIDE TO BERTH HOTEL 1½. Ø939 SECURED SPECIAL SEA AND ANCHOR DETAIL. 1ØØ8 COMMENCED OFF LOADING FUEL. DRAFT FWD. 14 FT AFT 15 FT 3 IN. JEH

J E Horton
Ens USN.

12-16. MOORED AS BEFORE.

J E Horton
Ens USN

16-20 MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE THRU OUT THE SHIP. 19ØØ COMPLETE OFF LOADING FUEL DRAFT FWD 14Ft. AFT 12 FT ~~6 IN.~~ 6 IN. JEH

J E Horton
Ens USN.

2Ø-24 MOORED AS BEFORE.

J E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Wallace LCDR U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 20 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	5	10	BKN	2990	62	59	8	1050	CU			
02	320	5	10	BKN	2990	62	59	6	1050	CU			
03	310	5	10	BKN	2990	62	59	6	1050	CU			
04	300	2	10	BKN	2990	60	53	6	2450	CU			
05	300	2	10	BKN	2990	60	53	8	2450	CU			
06	300	1	10	~~BKN~~ SCT	2990	60	52	4	2800	CU			
07	290	1	10	~~SCT~~ SCT	2992	60	57	2	1050	CU			
08			10	SCT	2992	63	60	3	1650	CU			
09	310	8	10	SCT	2992	68	62	4	4200	CU			
10	310	8	10	SCT	2993	73	64	4	2250	CU			
11	310	8	10	SCT	2993	74	64	4	3500	CU			
12	315	5	10	SCT	2992	75	65	4	3500	CU			
13	315	4	10	BKN	2991	76	65	8	2150	CU			
14			10	BKN	2990	77	65	8	2800	CU			
15	355	1	10	BKN	2990	76	65	8	3850	CU			
16	355	1	10	BKN	2989	75	65	8	3500	CU			
17	340	2	10	BKN	2989	74	65	7	2800	CU			
18	345	1	10	BKN	2990	72	65	7	2450	CU			
19	350	2	10	BKN	2991	70	65	8	2450	CU			
20	350	3	10	SCT	2991	69	65	4	700	CU			
21	350	2	10	SCT	2991	66	64	3	1400	CU			
22	350	1	10	SCT	2991	66	63	1	1050	CU			
23	350	1	10	SCT	2991	66	63	2	1050	CU			
24	010	1	10	SCT	2991	64	62	2	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 151

FUEL CONSUMED 0000–2400: 93

REMARKS

0000-0004 MOORED PORT SIDE TO IN BERTH NOTEL ONE AND ONE HALF. PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

L C Horton
Lcdr USN

0004-0008. MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS. ABSENTEES: VOGEL, N.E. 513-44-18 RM3 USN-4A SINCE ~~0730 12-9-62~~ 0900 8 December 1962.

L C Horton
Lcdr USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker 2416 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY 20 DECEMBER 19 62
(Day) (Date) (Month)

Ø8-12: MOORED AS BEFORE. 11HØ SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN HAS THE CONN, NAVIGATOR ON THE BRIDGE. 1151 UNDERWAY TO SHIFT BERTHS TO M-N IN ACCORDANCE WITH VERBAL ORDERS FROM PEARL HARBOR PORT CONTROL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. DRAFT FORWARD 13'8", AFT 12'6". BACKING AT VARIOUS SPEEDS TO CLEAR PIER.

H. L. SWAN, ENS, USNR

12-6: UNDERWAY AS BEFORE. 12Ø2 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 121Ø APPROACHING BERTH M-4. 1215 MOORED STARBOARD SIDE TO BERTH M-4, U.S. NAVAL SUPPLY CENTER WITH STANDARD MOORING LINES DOUBLED. 1222 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 1300 Commenced off loading all spare parts. 1342 BARGE YRBM-1 BROUGHT ALONGSIDE TO PORT AND SECURED.

H. L. SWAN, ENS, USNR

16-2Ø: MOORED AS BEFORE. 1615 Completed off loading spare parts. 1800 SET MATERIAL CONDITION YOKE.

H. L. SWAN, ENS, USNR

2Ø-24: MOORED AS BEFORE.

H. L. SWAN, ENS, USNR

APPROVED: C. Rad Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY 21 DECEMBER (Day) (Date) (Month), 1962

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	010	1	4	SCT	2991	63	61	2	700	CU			
02	010	1	4	SCT	2990	63	61	2	700	CU			
03	015	1	4	SCT	2990	63	61	2	700	CU			
04	015	1	4	SCT	2989	62	60	2	700	CU			
05	350	1	5	SCT	2989	65	61	3	1400	CU			
06	320	1	5	SCT	2989	67	63	5	1400	CU			
07	300	2	7	BKN	2989	68	64	7	1400	CU			
08	280	3	7	BKN	2990	69	65	7	1400	SCT			
09	250	6	7	R	2990	73	69	10	1400	SCT			
10	270	6	7	R	2990	73	69	10	1400	SCT			
11	280	7	8	BKN	2991	74	69	7	1750	SCT			
12	280	7	10	BKN	2992	74	70	8	1400	SCT			
13	300	6	7	BKN	2991	75	71	8	1400	ST			
14	270	5	4	BKN	2990	74	72	8	700	CU			
15	275	5	4	BKN	2987	75	73	7	700	CU			
16	280	3	7	BKN	2985	74	70	7	1400	CU			
17			7	BKN	2984	74	70	8	1400	CU			
18	260	4	7	BKN	2986	73	70	8	1050	CU			
19	250	3	7	BKN	2987	69	66	7	1050	CU			
20	240	4	7	BKN	2988	67	65	8	1050	CU			
21	250	3	8	BKN	2989	64	60	8	1400	CU			
22	240	4	8	BKN	2987	61	57	7	1400	CU			
23	240	3	9	BKN	2988	60	56	8	1400	CU			
24	235	4	9	BKN	2990	58	54	7	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 2769

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH M-N, U.S. NAVAL SUPPLY CENTER, PEARL HARBOR, HAWAII. WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. YRBM-1 MOORED ALONGSIDE TO PORT.

W. R. Swan, ENS, USNR.

04-08: MOORED AS BEFORE. 0710 MUSTERED CREW AT QUARTERS;
N ABSENTEE: VOGEL, N.E. 513 44 18 RM3 USN, UA since 0700
N 8 December 1962.

W. R. Swan, ENS, USNR.

APPROVED: C. A. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 21 (Date) December (Month), 1962

08-12 Moored as before;

J.L. Hollis, CWO2, USN

12-16 Moored as before;

J.L. Hollis, CWO-2, USN

16-20 Moored as before; 1800 set material condition "Yoke" throughout the ship

J.L. Hollis, CWO-2, USN

20-24 Moored as before;

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed LT. U.S.N. COMMANDING

EXAMINED: R.L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE Saturday (Day) 22 (Date) December (Month), 19 62

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	250	3	7	BKN	2988	59	53	7	2100	Sc			
02	270	4	5	BKN	2989	60	53	8	2450	CU			
03	300	5	2	BKN	2990	60	53	8	2450	CU			
04	350	3	3	BKN	2990	61	53	9	2800	CU			
05	300	3	3	BKN	2990	61	53	9	2800	CU			
06	355	3	5	BKN	2990	64	55	8	3150	CU			
07	355	3	5	BKN	2990	64	55	9	3150	CU			
08			5	SCT	2991	61	58	5	1050	Sc			
09	350	2	10	SCT	2993	68	63	4	1750	Sc			
10	020	4	10	SCT	2992	71	64	4	2450	Sc			
11	020	5	10	SCT	2992	72	64	4	2800	Sc			
12	020	5	10	SCT	2992	72	64	4	2800	CU			
13	340	4	10	SCT	2992	76	68	5	2800	CU			
14	320	4	10	BKN	2991	76	68	6	2800	CU			
15	300	4	10	BKN	2991	76	68	6	2800	CU			
16	270	3	10	BKN	2990	80	68	6	4200	Sc			
17	270	3	10	SCT	2990	80	72	4	2800	Sc			
18	270	2	10	SCT	2990	74	72	4	700	Sc			
19	280	2	10	SCT	2990	69	66	3	1050	Sc			
20	280	2	10	SCT	2990	69	63	3	2100	Sc			
21	280	3	6	SCT	2991	69	63	3	2100	Sc			
22	280	3	6	SCT	2991	69	63	3	2100	CU			
23	280	3	6	SCT	2991	69	63	3	2100	CU			
24	280	3	6	SCT	2991	69	63	3	2100	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
0

FUEL CONSUMED 0000–2400
2/7

REMARKS

0000 Moored Stbd Side to Berth Mike 4 U.S. Naval Supply Center, Pearl Harbor, Hawaii, using four (4) Sfd. mooring lines doubled. Receiving Fresh Water and Telephone Service from the pier. Condition yoke Set throughout the ship. Ships present include Various Units of the U.S. Pacific Fleet, District and Small Craft. SOPA is CinCPac Flt.

J. L. Hollis, CWO-2, USN

0H-08 Moored as before; 0710 mustered the crew on stations, Unauthorized Absentees, Vogel, N.E. 613, 44-18, RM3 USN since ~~0730 12 Dec 62~~ 0900, 8 December 62

J. L. Hollis, CWO-2, USN

APPROVED: C. C. Rod LT. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP USS NAKI ATF-96 Saturday (Day) 22 (Date) December, 19 62 (Month)

0800-1200 Moored as before.

R M Turner Ens USNR

1200-1600 Moored as before. 1210 YTM 142 took YRBM 1 from along portside. 1229 Pilot and assumed Conn Capt & Navigator on the bridge Gillen, J. came aboard. RT

1236 Underway ~~with~~ ~~at~~ dead ~~Right~~ ~~stbrd~~ from berth Mike four to Berth Bravo-ten with YTM towing. 1250 moored starboard side to berth Bravo Ten (B-10) Pearl Harbor Hawaii. 1253 Pilot Gillen J. departed the ship. 1322 Recieved YRBM 1 along Portside.

R M Turner Ens USNR

1600-2000 Moored as before 1800 Set material condition Yoke throughout the ship

R M Turner Ens USNR

2000-2400 Moored as before

R M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE SUNDAY (Day) 23 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	310	2	SCT	6	29.11	69	64	2	1750	SC			
02	310	2	SCT	6	29.09	69	64	2	1750	SC			
03	280	2	SCT	6	29.04	67	59	2	2500	SC			
04	255	2	SCT	6	29.06	66	59	2	2450	SC			
05	250	3	SCT	6	29.07	65	60	2	1750	SC			
06	295	2	SCT	6	29.11	64	60	2	1400	SC			
07	285	2	SCT	7	29.08	65	60	3	1750	SC			
08	185	1	BKN	7	29.08	66	62	8	1400	SC			
09	0	0	BKN	7	29.06	68	63	7	1750	SC			
10	145	2	BKN	7	29.05	75	65	7	3500	SC			
11	145	2	BKN	7	29.04	78	68	7	3500	CU			
12	140	3	BKN	7	29.04	80	70	6	3500	CU			
13	135	4	BKN	7	29.03	80	70	8	3500	CC			
14	140	5	SCT	7	29.03	80	69	4	3850	CI			
15	140	4	SCT	7	29.00	81	70	3	3850	CI			
16	120	5	BKN	7	29.00	83	70	6	4550	CC			
17	140	3	BKN	7	29.00	78	68	8	3500	CC			
18	140	2	SCT	7	29.00	76	67	5	3150	CU			
19	130	3	SCT	6	29.00	74	66	2	2800	CU			
20	135	3	SCT	6	29.00	72	65	3	2400	CU			
21	135	2	SCT	6	29.00	70	65	3	1750	CU			
22	140	3	SCT	6	29.00	69	65	2	1400	CU			
23	145	3	SCT	6	29.01	68	64	4	1400	CU			
24	150	2	SCT	6	29.01	68	64	4	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored Starboard side to Bravo Ten (B-10) Naval Shipyard ~~with~~ standard lines, in Pearl Harbor Hawaii. Recieving fresh water, ~~fire & flushing water~~ Telephone and Ships electrical Power services from the pier. Ships present include various unit of the U.S. Pacific Fleet Yard and district craft. SOPA is CinC Pac Fleet.

R M Leeman Ens USN

04-08 Moored as before. 0800 Mustered ~~Crew~~ on stations ~~12~~ absentees:
Vogel, N.E., 513-44-18, RM3, USN, UA since 0800 8 December 1962.

R M Leeman Ens USN

APPROVED: C C Rod Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LT/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SUNDAY (Day) 23 (Date) DECEMBER (Month) 19 62

~~0800-12~~ MOORED AS BEFORE. ~~0800 MUSTERED CREW ON STATIONS: ABSENTEES. NONE.~~

J E Horton
Enn USN

12-16 MOORED AS BEFORE.

J E Horton
Enn USN

16-20 MOORED AS BEFORE. 1800 SET CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Enn USN

20-24 MOORED AS BEFORE.

J E Horton
Enn USN.

APPROVED: C Rad Lt U.S.N. COMMANDING

EXAMINED: B L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY 24 DECEMBER (Day) (Date) (Month), 19 62

AT ~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	2	6	SCT	29.91	68	64	5	1400	CU			
02	150	2	6	BKN	29.91	69	65	7	1400	CU			
03	150	2	6	BKN	29.92	70	66	8	1400	SC			
04	150	2	6	OVC	29.92	70	67	10	1050	SC			
05	150	2	6	BKN	29.93	70	66	8	1400	SC			
06	150	1	6	BKN	29.91	72	67	8	1750	SC			
07	155	3	7	L	29.92	72	67	10	1750	ST			
08	155	3	7	L	29.92	70	67	10	1050	ST			
09	155	4	7	L	29.93	70	67	10	1050	ST			
10	155	6	7	OVC	29.93	72	68	10	1400	SC			
11	155	6	7	OVC	29.93	75	68	10	2450	SC			
12	155	5	7	OVC	29.93	77	69	10	2500	SC			
13	155	7	7	L	29.93	76	70	10	2100	ST			
14	155	6	7	OVC	29.93	77	70	10	2450	ST			
15	155	6	7	OVC	29.93	78	70	9	28100	SC			
16	155	4	7	BKN	29.93	76	70	8	2100	SC			
17	155	4	7	OVC	29.93	73	69	9	1400	SC			
18	155	2	7	OVC	29.93	73	69	9	1400	SC			
19	155	1	6	BKN	29.93	72	68	8	1400	SC			
20	155	3	6	BKN	29.90	72	68	8	1400	CU			
21	155	3	6	BKN	29.90	71	68	8	1050	CU			
22	155	2	6	BKN	29.89	70	67	7	1050	CU			
23	155	2	6	BKN	29.88	70	67	8	1050	CU			
24	155	2	6	BKN	29.88	69	66	7	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH BRAVO TEN US NAVAL SHIP YARD PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING ELECTRICIAN POWER, FRESH WATER AND Fire and flushing Water, NW TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS C.INC PAC FLT. YRBM-1 MOORED OUT BOARD TO PORT.

LE Horton
ENS USN.

04-08. MOORED AS BEFORE.

LE Horton
ENS USN

APPROVED: C C Reed LT. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 24 (Date) DECEMBER (Month) 19 62

0800-1200: MOORED AS BEFORE. 0800 MUSTERED CREW ON STATIONS; ABSENTEES: VOGEL, N.E. 513 44 18 RM3, USN, AT 0900, 8 December, AGL

H. L. Swan, ENS, USNR

1200-1600: MOORED AS BEFORE.

H. L. Swan, ENS, USNR

1600-2000: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H. L. Swan, ENS, USNR.

2000-2400: MOORED AS BEFORE.

H. L. Swan, ENS, USNR.

APPROVED:

C. C. Bad Lt. U.S.N. COMMANDING

EXAMINED:

R. L. Walter LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 25 (Date) DECEMBER (Month), 1962

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	155	2	6	BKN	29.89	69	66	7	1050	SC			
02	155	2	6	BKN	29.89	70	67	8	1050	SC			
03	155	1	6	OVC	29.90	71	68	9	1050	SC			
04	155	1	6	OVC	29.90	73	69	10	1050	SC			
05	150	1	6	OVC	29.90	73	69	10	1050	SC			
06	150	1	6	OVC	29.90	71	68	10	1050	SC			
07	0	0	7	OVC	29.90	71	68	10	1050	SC			
08	0	0	7	OVC	29.90	71	68	10	1050	SC			
09	0	0	7	BKN	29.92	73	69	10	1400	ST			
10	0	0	7	BKN	29.92	77	70	8	2450	SC			
11	0	0	7	BKN	29.92	76	70	8	2100	SC			
12	155	2	7	L	29.94	76	70	10	2100	ST			
13	155	3	7	BKN	29.94	77	70	8	2450	ST			
14	155	2	7	L	29.96	77	70	10	2450	ST			
15	155	2	7	BKN	29.96	77	70	8	2450	SC			
16	155	1	7	BKN	29.96	78	71	8	2450	SC			
17	155	1	7	BKN	29.96	78	71	8	2450	SC			
18	160	1	7	BKN	29.96	76	70	7	2100	SC			
19	160	1	6	BKN	29.96	75	70	7	1750	SC			
20	160	1	6	BKN	29.97	74	70	8	1400	SC			
21	160	1	6	BKN	29.97	73	69	8	1400	SC			
22	160	1	6	BKN	29.97	72	69	8	1050	SC			
23	160	1	6	BKN	29.97	72	69	8	1050	SC			
24	160	1	6	BKN	29.97	71	68	8	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH B-10, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, SALT WATER, STEAM, ELECTRICAL POWER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. YRBM-1 MOORED ALONGSIDE TO PORT. SOPA IS CINCPACFLT.

W. L. WOLFSON, ENS, USNR

04-08: MOORED AS BEFORE. 0759 MUSTERED CREW ON STATIONS;
ABSENTEE: VOGEL, N.E. 513 44 18, RM3, USN, UA 5 mal 0900
8 December 1962

W. L. WOLFSON, ENS, USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker 2d/6 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 25 (Date) December (Month), 19 62

08-12 Moored as before;

J.L. Hollis. CWO-2, USN

12-16 Moored as before;

J.L. Hollis. CWO-2. USN

16-20 Moored as before; 1800 Set material condition "yoke" throughout the ship.

J.L. Hollis. CWO-2, USN

20-24 Moored as before;

J.L. Hollis CWO-2. USN

APPROVED:

C C Reed LT. U.S.N. COMMANDING

EXAMINED:

R L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10-W DATE Wednesday (Day) 26 (Date) December (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	6	BKN	29.97	71	68	7	1050	ST			
02	0	0	6	BKN	29.97	71	68	8	1050	SC			
03	0	0	6	BKN	29.97	70	67	7	1050	SC			
04	0	0	6	BKN	29.97	70	67	8	1050	SC			
05	0	0	6	BKN	29.97	70	67	8	1050	SC			
06	0	0	6	BKN	29.98	71	68	7	1050	SC			
07	0	0	7	BKN	29.98	72	69	7	1050	SC			
08	0	0	7	BKN	29.98	72	69	6	1050	CU			
09	0	0	7	SCT	29.98	77	71	5	2100	CU			
10	0	0	7	SCT	29.99	77	71	5	2100	CU			
11	0	0	7	SCT	30.00	82	74	5	2500	CU			
12	0	0	7	SCT	29.99	84	75	4	3150	CU			
13	0	0	7	SCT	29.97	83	75	4	2800	CU			
14	0	0	7	SCT	29.95	81	75	5	2400	CU			
15	0	0	7	BKN	29.95	80	75	8	1750	CU			
16	0	0	7	OVC	29.94	78	74	10	1400	SC			
17	0	0	7	BKN	29.94	76	73	10	1050	ST			
18	0	0	7	BKN	29.93	76	73	10	1050	ST			
19	0	0	7	OVC	29.93	75	73	10	1050	ST			
20	0	0	6	OVC	29.93	74	71	10	1050	ST			
21	0	0	6	OVC	29.92	74	71	10	1050	SC			
22	0	0	6	BKN	29.92	73	70	8	1050	SC			
23	0	0	6	BKN	29.91	73	70	8	1050	SC			
24	0	0	6	BKN	29.91	72	69	8	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 553

REMARKS

00-04 moored Stbd. side to Bravo Berth USNSy, Naval Station, Pearl Harbor, Hawaii. Using four (4) Std. mooring lines doubled. YRBM-1 moored outboard to port. Receiving, Steam, Fresh water, Salt water, power and telephone services from the piers. Condition yoke set through out the ship. Ships present include various units of the U.S Pacific Fleet, District and Small craft. SOPA is CinCPacFlt.

J.L. Hollis, CWO-2-USN

04-08 moored as before: 0710 mustered the crew at Quarters.
Unauthorized Absentees: Vogel, N.E. 513-44 18 Rm3 USN, UA
Since 0900 8 December 1962.

Jal Hollis. CWO2 USN

APPROVED: C C Rood Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Wednesday (Day) 26 (Date) December (Month), 1962

Ø8-12 Moored as before.

Robert M Turner ENS USNR

12-16 Moored as before

Robert M Turner ENS USNR

16-2Ø Moored as before : 18ØØ set material condition Yoke throughout the ship.

Robert M Turner ENS USNR.

2Ø-24 Moored as before

Robert M Turner ENS USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: J. L. Walker LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE Thursday (Day) 27 (Date) December (Month), 1962

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	6	BKN	29.91	72	69	8	1050	SC			
02	0	0	6	BKN	29.90	72	69	8	1050	SC			
03	0	0	6	BKN	29.90	71	68	7	1050	SC			
04	0	0	6	BKN	29.90	71	68	7	1050	SC			
05	060	1	6	BKN	29.92	71	68	7	1050	SC			
06	060	1	6	BKN	29.94	70	67	6	1050	SC			
07	060	1	7	SCT	29.94	72	68	5	1400	SC			
08	060	1	7	SCT	29.93	69	66	5	1050	SC			
09	060	1	7	SCT	29.91	69	66	4	1050	SC			
10	0	0	7	SCT	29.90	72	67	3	1750	SC			
11	0	0	7	SCT	29.91	77	69	3	2800	SC			
12	0	0	7	SCT	29.92	81	72	3	3150	CU			
13	010	1	7	SCT	29.93	85	75	3	3500	CU			
14	080	1	7	SCT	29.93	86	76	3	3500	CU			
15	090	2	7	SCT	29.93	86	76	4	3500	CU			
16	100	2	7	SCT	29.94	84	76	4	3500	CU			
17	110	3	7	SCT	29.93	83	76	4	2450	CU			
18	100	3	7	SCT	29.95	81	74	5	2450	CU			
19	100	3	6	SCT	29.93	78	71	5	2450	CU			
20	130	3	6	SCT	29.94	78	71	5	2450	CU			
21	150	4	6	SCT	29.94	77	71	4	2100	CU			
22	150	4	6	SCT	29.94	77	71	3	2100	CU			
23	130	2	6	SCT	29.93	75	71	3	1400	CU			
24	100	1	6	SCT	29.94	75	71	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 9'

REMARKS

ØØ-Ø4 Moored starboard side to Berth Bravo-ten (10) with four (4) standard Nylon mooring lines doubled up. The YRBM-ONE(1) is tied up to ~~our~~ port ~~side~~. ~~We are~~ recieving fresh, fire and flushing water, ~~and~~ telephone, and electrical power ~~from~~ the pier. Ships present include various units of the U.S. Pacific Fleet and yard and district craft. SOPA in CinC Pac Fleet. Material Cond. Yoke is set throughout the ship

Robert M Turner EDS USNR

Ø4Ø8 Moored as before. 0720 mustered crew at quarters. Absentees. Vogel, D.E. 513 4418 RM3 USN UA since 0900 8 December 1962.

Robert M Turner EDS USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: C L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 THURSDAY (Day) 27 (Date) DECEMBER (Month) 62

0800-1200 MOORED AS BEFORE 0947 COMMENCED EXERCISE Z-42-S 1100 COMPLETED Z-42-S.

F E Horton
Ens USN.

1200-1600 MOORED AS BEFORE.

F E Horton
Ens USN.

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION YOKE THRU OUT THE SHIP.

F E Horton
Ens USN.

2000-2400 MOORED AS BEFORE.

F E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE FRIDAY (Day) 28 (Date) DECEMBER (Month), 19 62

AT/~~BASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	090	1	6	SCT	29.93	74	71	2	1050	CU			
02	0	0	6	CLR	29.93	73	70	0	~~1050~~	0			
03	0	0	6	CLR	29.93	73	70	0	~~1050~~	0			
04	150	1	6	CLR	29.94	73	70	0	~~1050~~	0			
05	150	1	6	SCT	29.93	74	69	4	1050	CU			
06	130	1	6	BKN	29.93	74	69	7	1050	CU			
07	130	1	7	BKN	29.94	73	69	7	1050	CU			
08	130	1	7	BKN	29.96	72	69	6	1050	CU			
09	130	2	7	SCT	29.97	73	70	3	1050	CU			
10	130	2	7	SCT	29.97	80	72	3	25000	AC			
11	130	2	7	BKN	29.97	84	74	6	25000	AC			
12	130	3	7	SCT	29.97	83	74	4	25000	AC			
13	100	3	7	SCT	29.97	84	74	5	35000	CC			
14	080	4	7	BKN	29.99	85	75	6	35000	CC			
15	085	5	7	BKN	30.00	85	75	7	35000	CC			
16	140	5	7	BKN	30.00	83	74	7	8150	CC			
17	145	4	7	BKN	30.00	83	73	6	35000	CC			
18	145	3	7	SCT	30.03	81	73	5	25000	CU			
19	145	5	6	SCT	30.03	80	73	5	24500	CU			
20	145	3	6	SCT	30.04	78	73	4	17500	CU			
21	145	3	6	SCT	30.04	77	72	3	17500	CU			
22	145	2	6	SCT	30.05	76	72	2	14000	CU			
23	145	2	6	SCT	30.06	75	72	2	10500	CU			
24	145	1	6	SCT	30.07	75	72	2	10500	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

~~SEN 00-12~~ 00-04 MOORED STARBOARD SIDE TO IN BERTH BRAVO TEN, US NAVAL SHIP YARD, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING ELECTRICAL POWER FRESH WATER, FIRE AND FLUSHING WATER AND TELEPHONE SERVICE FROM THE PIER. YRBM-1, MOORED OUT BOARD TO PORT. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PAC FLT

J E Horton
Ens USN

04-08 MOORED AS BEFORE 0710 MUSTERED CREW AT QUARTERS: ABSENTEES: VOGEL, N.E. 513-44 18 RM3 USN UA SINCE 0900 8 DECEMBER 1962

J E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: G L Walker 2456 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 28 (Date) DECEMBER (Month) 62

08-12: MOORED AS BEFORE. ~~0900~~ Vogel, N.E., 513-44-18 RM3, USN ~~records~~ transferred to Administrative Command U.S. Naval Station Great Lakes, Wisconsin Per disciplinary action upon being apprehended. W. L. Lawson, ENS, USNR

12-16: MOORED AS BEFORE. 1455 YTM-195 CAME ALONGSIDE YRBM-1, 1500 YTM-195 TOOK YRBM-1 IN TOW FROM ALONGSIDE TO PORT.

W. L. Lawson ENS USNR

16-20: MOORED AS BEFORE. 1639 CAPTAIN AND NAVIGATOR ON THE BRIDGE. 1641 YTM-192 CAME ALONGSIDE TO PORT. 1644 YT-166 CAME ALONGSIDE TO PORT. 1653 PILOT A. TAYLOR CAME ABOARD. 1655 UNDERWAY — COLD IRON — FROM BERTH B-16 TO SHIFT BERTHS TO O-1½. PILOT, CAPTAIN, AND NAVIGATOR ON THE BRIDGE. PILOT HAS THE CONN. 1722 MOORED STARBOARD SIDE TO BERTH O-1½, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. 1727 PILOT DEPARTED THE SHIP. 1728 YTM-192 AND YT-166 DEPARTED FROM ALONGSIDE TO PORT. 1800 SET MATERIAL CONDITION YOKE. 1815 COMMENCED RECEIVING FRESH WATER, ELECTRIC POWER, AND TELEPHONE SERVICES FROM THE PIER.

W. L. Lawson, ENS, USNR

20-24: MOORED AS BEFORE. 2005 YTM-196 BROUGHT YRBM-1 FROM BERTH O-2½ TO BERTH O-1½ FORWARD OF ABNAKI. 2014 YTM-196 DEPARTED YRBM-1.

W. L. Lawson ENS USNR

APPROVED: C. E. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE ~~FRIDAY~~ SATURDAY (Day) 29 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	145	1	6	SCT	30.07	74	71	2	1050	CU			
02	145	1	6	SCT	30.07	74	71	2	1050	CU			
03	145	1	6	SCT	30.08	73	70	2	1050	CU			
04	145	1	6	SCT	30.08	73	70	2	1050	CU			
05	145	3	6	SCT	30.09	72	69	3	1050	CU			
06	145	2	6	SCT	30.10	72	69	3	1050	CU			
07	150	3	7	SCT	30.12	73	69	4	1400	CU			
08	150	3	7	SCT	30.12	74	70	4	1400	CU			
09	150	2	7	SCT	30.12	77	71	2	9100	CU			
10	150	4	7	SCT	30.10	79	72	3	9450	AC			
11	150	4	7	SCT	30.10	79	72	5	9450	AC			
12	145	5	7	SCT	30.10	81	72	5	3150	AC			
13	145	7	7	SCT	30.09	83	73	3	3500	CC			
14	145	7	7	SCT	30.08	84	73	3	3850	CC			
15	145	4	7	SCT	30.08	85	74	3	3850	CC			
16	145	4	7	SCT	30.07	84	74	4	3500	CC			
17	145	3	7	SCT	30.06	82	73	4	3150	CU			
18	145	3	7	SCT	30.06	81	72	5	3150	CU			
19	145	3	6	SCT	30.05	78	72	5	2100	CU			
20	145	3	6	SCT	30.04	77	72	2	1750	CU			
21	145	2	6	SCT	30.04	75	71	2	1400	CU			
22	145	2	6	SCT	30.03	75	71	3	1400	CU			
23	145	1	6	SCT	30.01	74	71	3	1050	CU			
24	145	1	6	SCT	30.01	74	71	2	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH O-~~2~~ 1, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. L. [illegible], CDR, USN

04-08: MOORED AS BEFORE. 0710 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W. L. [illegible], CDR, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] 2486 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 29 (Date) December (Month) 19 62

08-12 Moored as before;

J. L. Hollis, CWO-2, USN

12-16 Moored as before;

J. L. Hollis, CWO-2, USN

16-20 moored as before; 1800 condition golf modified Set through-out the ship.

J. L. Hollis, CWO-2, USN

20-24 Moored as before;

J. L. Hollis, CWO-2, USN

APPROVED: C C Reed LT U.S.N. COMMANDING

EXAMINED: R. L. Walla LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS HONAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 30 (Date) DECEMBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	145	4	6	SCT	30.01	72	69	4	1050	CU			
02	145	4	6	SCT	30.00	70	67	5	1050	CU			
03	145	3	6	RHN	30.00	69	66	6	1050	CU			
04	145	4	6	RHN	30.02	69	66	6	1050	CU			
05	145	3	6	RHN	30.04	69	66	7	1050	CU			
06	150	2	6	RHN	30.05	70	67	8	1050	CU			
07	150	2	7	RHN	30.05	75	70	8	1750	CU			
08	150	5	7	RHN	30.06	80	71	8	3150	CU			
09	150	8	7	RHN	30.06	82	72	7	3500	CU			
10	150	7	7	RHN	30.07	83	73	6	3500	CU			
11	150	7	7	SCT	30.08	85	75	5	3500	CU			
12	150	9	7	SCT	30.09	87	76	5	3500	CU			
13	150	8	7	SCT	30.10	85	75	3	3500	CU			
14	150	9	7	SCT	30.11	85	76	2	3150	CU			
15	150	9	7	SCT	30.12	83	75	2	2800	CU			
16	150	7	7	SCT	30.11	83	75	2	2800	CU			
17	150	7	7	SCT	30.09	81	74	3	2450	CU			
18	150	6	7	SCT	30.09	80	74	4	2100	CU			
19	150	6	6	SCT	30.08	79	74	4	1750	CU			
20	150	5	6	SCT	30.07	78	73	4	1750	CU			
21	150	6	6	SCT	30.06	77	73	2	1750	CU			
22	150	6	6	SCT	30.07	76	71	2	1750	CU			
23	150	5	6	SCT	30.06	75	70	2	1750	CU			
24	150	5	6	SCT	30.06	75	70	2	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to berth Oscar-one (O-1), U.S. Naval Shipyard Pearl Harbor Hawaii, with four (4) standard mooring lines doubled up. Condition yoke set throughout the ships. ~~Receiving~~ power 440 VAC, steam, freshwater, flushing water and telephone service from the ~~Dock~~ pier. Ships present include various units of the U.S. pacific fleet, District & Small Craft. SOPA is CinCPac Flt.

Jack Hollis. CWO-2. USN

04-08 moored as before: 0730 mustered the crew on stations ~~Unauthorized~~ absentees: none:

Jack Hollis. CWO-2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [illegible] LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Sunday (Day) 30 (Date) December (Month) 1962

0800-1200 Moored as before.

Robert M Turner Ens USNR

1200-1600 Moored as before

Robert M Turner Ens USNR

1600-2000 Moored as before. 1800 Set condition Yoke throughout the ship

Robert M Turner Ens USNR

2000-2400 Moored as before.

Robert M Turner Ens USNR

APPROVED: EXAMINED:

C Reed Lt U.S.N. COMMANDING J. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI, (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 31 DECEMBER, 19 60
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	150	4	6	SCT	30.06	75	70	2	1750	CU			
02	150	3	6	SCT	30.06	75	70	2	1750	CU			
03	150	1	6	SCT	30.05	74	69	2	1750	CU			
04	150	2	6	SCT	30.04	74	69	2	1750	CU			
05	150	2	6	SCT	30.03	73	69	2	1400	CU			
06	150	1	6	SCT	30.03	73	70	3	1050	CU			
07	150	2	6	SCT	30.02	75	70	4	1750	CU			
08	145	1	7	SCT	30.02	78	74	5	1400	CU			
09	145	1	7	SCT	30.02	83	74	5	8800	CU			
10	145	2	7	SCT	30.03	83	74	4	3150	CU			
11	150	3	7	SCT	30.04	85	74	4	3850	CU			
12	150	5	7	SCT	30.06	86	75	2	3850	CU			
13	150	7	7	SCT	30.07	87	76	2	3850	CU			
14	150	5	7	SCT	30.08	85	75	3	3500	CU			
15	150	5	7	SCT	30.06	83	75	2	8800	CU			
16	150	5	7	SCT	30.06	80	75	3	1750	CU			
17	150	4	7	SCT	30.06	80	74	5	2100	CU			
18	150	4	7	SCT	30.05	79	74	5	1750	CU			
19	150	2	7	SCT	30.04	78	73	3	1750	CU			
20	150	3	7	SCT	30.03	76	73	3	1050	CU			
21	150	2	6	SCT	30.04	76	73	3	1050	CU			
22	150	2	6	SCT	30.06	75	72	3	1050	CU			
23	150	1	6	SCT	30.06	74	71	2	1050	CU			
24	150	1	6	SCT	30.05	74	71	2	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4. Moored starboard side to Berth Oscar-~~one~~ (0-1/1) U.S. Naval Shipyard, Pearl Harbor Hawaii, with four (4) standard lines doubled up. Recieveing fresh water, electricity and telephone service from the pier. The ship is cold iron. Ships present include various units of US Pacific Fleet and various yard and district craft. SOPA, is CinCPac Fleet. Material condition Yoke is set throughout the ship.

Robert M Turner Ens USNR

Ø4-Ø8 Moored as before. Ø710 Mustered at Quarters; No Absentees.

Robert M Turner Ens USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 MONDAY (Day) 31 (Date) DECEMBER (Month), 19 62

0800-1200 MOORED AS BEFORE.

J E Horton
Ens USN

1200-1600 MOORED AS BEFORE

J E Horton
Ens USN

1600-2400 MOORED AS BEFORE 1800 SET CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Ens USN

2400-2400 MOORED AS BEFORE.

J E Horton
Ens USN.

APPROVED: C C Bud LT, U.S.N. COMMANDING

EXAMINED: R L Walpole LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: EXAMINED:

_____ U.S.N. COMMANDING _____ U.S.N. NAVIGATOR